Published

Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Marks	Part marks
1	70 020 cao	**1**	
2	[0].008	**1**	
3	2	**1**	
4	x^{10}	**1**	
5	Congruent	**1**	
6	31 or 37	**1**	
7(a)	23.46 cao	**1**	
7(b)	20 cao	**1**	
8	$4n(3n - m)$ final answer	**2**	**B1** for $4(3n^2 - mn)$ or $n(12n - 4m)$ or $2n(6n - 2m)$ or $2(6n^2 - 2mn)$
9	6	**2**	**B1** for answer 2 or 3 or 2 × 3 or **M1** for prime factors of 126 **and** 150 seen
10(a)	Chicago	**1**	
10(b)	−3	**1**	
11	$21y + xy$ or $y(21 + x)$ final answer	**2**	**B1** for $14x + 21y$ or $-14x + xy$ or answer of $ky + xy$
12	3567.5	**1**	
	3572.5	**1**	**SC1** for both correct but reversed
13	$\begin{pmatrix} -1 \\ -9 \end{pmatrix}$	**2**	**B1** for $\begin{pmatrix} -6 \\ -8 \end{pmatrix}$ seen or answer $\begin{pmatrix} k \\ -9 \end{pmatrix}$ or $\begin{pmatrix} -1 \\ k \end{pmatrix}$
14	14.88	**2**	**M1** for 5000 ÷ 336 or **B1** for 14.881 or 14.880[9...] or 14.9

Question	Answer	Marks	Part marks
15(a)	$\dfrac{21}{50}$ oe	**1**	
15(b)	315	**1FT**	**FT** *their* **(a)** $\times$ 750 provided $0 < their$ **(a)** < 1
16	$\dfrac{2}{9}$	**2**	**B1** for $\dfrac{8}{36}$ or $\dfrac{4}{18}$
17	$\sqrt{\dfrac{A}{4\pi}}$ or $\dfrac{1}{2}\sqrt{\dfrac{A}{\pi}}$ oe	**2**	**M1** for $r^2 = \dfrac{A}{4\pi}$ or $2r\sqrt{\pi} = \sqrt{A}$ or $4r^2 = \dfrac{A}{\pi}$ or $\pi r^2 = \dfrac{A}{4}$
18(a)	–5	**1**	
18(b)(i)	$3 \times (5 + 2) + 2 = 23$	**1**	
18(b)(ii)	$12 \div (4 + 2) = 2$	**1**	
19	$\dfrac{14(\text{or }35)}{21} + \dfrac{15}{21}$	**M1**	accept $\dfrac{14k(\text{or }35k)}{21k} + \dfrac{15k}{21k}$
	$2\dfrac{8}{21}$ cao	**A2**	or **A1** for $\dfrac{50}{21}$ or $1\dfrac{8}{21}$ or $\dfrac{29}{21}$ or $1\dfrac{29}{21}$
20	Correctly eliminating one variable	**M1**	
	$[x =]\ 2$	**A1**	
	$[y =]\ -7$	**A1**	If zero scored, **SC1** for 2 values satisfying one of the original equations **SC1** for both correct but no working
21	Complete correct **ruled** net	**3**	**B2** for 4 correct rectangles in correct places or **B1** for 2 correct side rectangles in correct places
22(a)	Points plotted at (4.5, 33) and (6.5, 35)	**1**	
22(b)	Positive	**1**	
22(c)	Correct ruled line	**1**	
22(d)	33.5 to 37.5	**1FT**	**FT** from *their* line provided positive gradient

Question	Answer	Marks	Part marks
23(a)(i)	Correct ruled bisector of *AB* with 2 pairs of arcs	2	**B1** for correct bisector with no or incorrect arcs or 2 pairs of correct arcs
23(a)(ii)	Complete circle, radius 3 cm, centre *C*	2	**B1** for an arc of correct radius or a circle of incorrect radius
23(b)	Correct region shaded	1	dep on at least **B1** in both parts
24(a)(i)	338 or 338.3 nfww or 338.2 to 338.26	3	**M1** for 3×74 and **M1** for $74 \times \pi \div 2$
24(a)(ii)	7630 nfww or 7626 to 7627	3	**M1** for 74^2 and **M1** for $\dfrac{\pi \times 37^2}{2}$
24(b)	38100 nfww or 38200 or 38150 or 38130 to 38140	1FT	**FT** *their* **(a)(ii)** $\times 5$