

### **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education (9-1)

MATHEMATICS
Paper 5 (Core)
May/June 2017
MARK SCHEME
Maximum Mark: 96

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2017 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

® IGCSE is a registered trademark.

This syllabus is regulated for use in England as a Cambridge International Level 1/Level 2 (9-1) Certificate.



#### MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

### Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

#### **Abbreviations**

awrt answers which round to cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working nfww not from wrong working

oe or equivalent

rot rounded or truncated

SC Special Case soi seen or implied

© UCLES 2017 Page 2 of 6

Question	Answer	Marks	Part Marks
1(a)	8.26	2	M1 for $2.36 \times (350 \div 100)$ oe or $[350 \div 100] = 3.5$ soi
1(b)(i)	3.91	2	M1 for 6.8[0] × 0.575 or answer figs 391
1(b)(ii)	16.09	1	<b>FT</b> 20 – their 3.91
1(c)	Pack of 10 with 0.289 and 0.295 oe seen	2	M1 for 1 egg costs 0.289 or 0.295 oe or 3.46 eggs / £ and 3.39 eggs / £
1(d)	2.85	2	<b>B1</b> for 0.95 or 95p seen or <b>M1</b> for 3.8[0] × 0.75 oe
2(a)(i)	1015	1	
2(a)(ii)	47	1	FT from (a)(i)
2(b)	1205 or 1205 pm	1	
2(c)	52	3	M1 for 1 hour 15 min or 75 mins oe M1 for 65 ÷ <i>their</i> journey time
2(d)	48 ÷ 3 [× 2]	M1	
	0.35 × 48 oe	M1	
	16.8[0] or 32 or 7.2[0] or 14.4[0]	A1	Following a correct method
	Correct working to show saving e.g. $48 + 2 \times 24 - (32 + 2 \times 16.8)$ = 30.40	A1	or $16 + 2 \times 7.2 = 30.40$
3	Plan B with £109.23 and £122.88 or 10 923p and 12 288p	4	<b>M1</b> for 2400 × 5.12 soi
			<b>M2</b> for 2400 × 3.67 + 90 × 23.5 soi or <b>M1</b> for 90 × 23.5 soi
4(a)(i)	5.2 oe	1	
4(a)(ii)	7	2	M1 for + 4.8 and ÷ 2.5 soi
			or <b>SC1</b> for answer of 14.6[2] or $14\frac{31}{50}$
4(b)	[p = ] 3.5 [q = ] 5	3	<b>B1</b> for $q = 5$ <b>M1</b> for $8p + their q = 33$ soi
5(a)(i)	Frequency graph completed correctly with 3 correct heights and widths of missing bars	2	M1 for 2 correct heights of missing bars

© UCLES 2017 Page 3 of 6

Question	Answer	Marks	Part Marks
5(a)(ii)	<u>13</u> 67	2	M1 for total frequency is 67 or for $\frac{13}{n}$ ( <i>n</i> an integer > 13)
5(b)(i)	25	4	<b>B1</b> for [car sector angle = ] 200 soi <b>M1</b> for 32 ÷ 4 <b>M1</b> for their 200 ÷ their (32÷ 4) or bus = 11 and walk = 5 soi
5b(ii)	One correct reason	1	
5(c)(i)	58	1	
5(c)(ii)	27	1	
5(c)(iii)	32.5	2	M1 for 32 and / or 33 as answer or identified in table or working or for figs 325 as answer
6(a)	cement 3 sand 13.5	2	<b>B1</b> for one correct answer or answers reversed or <b>M1</b> for 16.5 ÷ (9 + 2)
6(b)	Correct reason	1	
6(c)	79.1	3	M1 for [1 part = ] 11.3 soi M1 for <i>their</i> 11.3 × (1 + 2 + 4) or aggregate 42.5 soi
7(a)(i)	Correct statement	1	
7(a)(ii)	2.2 oe	1	
7(b)(i)	8x - 36 - 3x + 21 [ = $5x - 15$ ]	2	<b>B1</b> for $8x - 36$ or $-3x + 21$ seen
7(b)(ii)	3	1	
8(a)	$D = V + \frac{V^2}{20}$	1	$or D = \frac{V^2}{20} + V$
8(b)	146.25	2	M1 for $45^2 \div 20 + 45$ oe or $45 \times (1 + 45 \div 20)$ oe
8(c)	275 or 274.[8]	4	M1 for $\frac{V^2}{20} = 210$ M1 for $V = \sqrt{210 \times 20}$ soi M1 for $210 + their$ 64.8 oe
9(a)	rotation centre (2, 5) 90° clockwise oe	3	B1 for each

© UCLES 2017 Page 4 of 6

Question	Answer	Marks	Part Marks
9(b)	correct reflection	2	<b>B1</b> for a refection in any other vertical line or for reflection in $y = 4$ or for two correct vertices
9(c)	correct enlargement	2	<b>B1</b> for shape enlarged SF $\frac{1}{2}$
10(a)	75400	2	<b>M1</b> for 72 500 × 1.04 oe or 72 500 × 0.04 oe
10(b)	13.7 or 13.68 to 13.69	3	<b>M2</b> for (305700 – 268900) ÷ 268900 oe or for 305700 ÷ 268900 × 100 oe
			or <b>M1</b> for 305700 – 268900 or for 305700 ÷ 268900
10(c)	$1.073 \times 10^6$	1	
10(d)	1.22×10 <sup>9</sup>	3	<b>B2</b> for 1.2189×10 <sup>9</sup> seen or for 1220000000 oe seen or <b>M1</b> for 11100000 or 1230000000 seen or figs 12189 seen
11(a)	63.6 or 63.61 to 63.63	3	M1 for $\sqrt{81}$ soi M1 for $\pi \times \left(their \frac{\sqrt{81}}{2}\right)^2$
11(b)(i)	$(2x)^2$ or $4x^2$ and $\pi x^2$ seen	M1	
	$4x^2: \pi x^2 = 4: \pi$	A1	
11(b)(ii)	25.5 or 25.46[]	2	M1 for $\frac{20}{\pi} = \frac{A}{4}$ oe
12(a)	7.5	2	M1 for $\frac{5}{4} = \frac{x}{6}$ oe or $\frac{3}{2.4} = \frac{x}{6}$ oe or SF 1.25 soi

© UCLES 2017 Page 5 of 6

Question	Answer	Marks	Part Marks
12(b)	31.25	4	M1 for $\frac{18.75}{7.5}$ M1 [AB] = their $\frac{18.75}{7.5} \times 10$ M1 for (their 25) <sup>2</sup> + 18.75 <sup>2</sup> Alternative method M1 for $\frac{18.75}{7.5}$ M1 for $7.5^2 + 10^2$ M1 for [AC] = their $\frac{18.75}{7.5} \times their \sqrt{7.5^2 + 10^2}$ Alternative method M1 for tan = $\frac{7.5}{10}$ M1 for $fararrange (arrange)$ M1 for $fararrange (arrange)$
13(a)(i)	31	1	
13(a)(ii)	6n + 1 oe final answer	2	<b>B1</b> for answer $6n + k$ oe, $k$ an integer
13(b)	149	4	M1 for $3n^2 + 2 = 110$ M1 for $n = 6$ M1 for $3(their 6 + 1)^2 + 2$

© UCLES 2017 Page 6 of 6