



Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/52

Paper 5 (Core)

February/March 2023

MARK SCHEME

Maximum Mark: 36

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the February/March 2023 series for most Cambridge IGCSE™, Cambridge International A and AS Level components and some Cambridge O Level components.

This document consists of **6** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Maths-Specific Marking Principles	
1	Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
2	Unless specified in the question, answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
3	Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
4	Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
5	Where a candidate has misread a number in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 mark for the misread.
6	Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation '**dep**' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
nfw	not from wrong working
oe	or equivalent
rot	rounded or truncated
SC	Special Case
soi	seen or implied

Question	Answer	Marks	Partial Marks																																																								
1(a)	160 3	1																																																									
1(b)(i)	30 – 4	C1																																																									
	26	1																																																									
1(b)(ii)	$30^2 - 4^2$ or $900 - 16$	C1																																																									
	884	1																																																									
1(c)	$\frac{40^2 - 2^2}{40 - 2}$	C2	C1 for $40^2 - 2^2$ as numerator or $40 - 2$ as denominator or $\frac{1596}{38}$ or $\frac{1600 - 4}{38}$																																																								
	42	1																																																									
1(d)	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>start</th> <th>s</th> <th>u</th> <th>s^2</th> <th>u^2</th> <th>$s^2 - u^2$</th> <th>$s - u$</th> <th>$\frac{s^2 - u^2}{s - u}$</th> </tr> </thead> <tbody> <tr> <td>125</td> <td>120</td> <td>5</td> <td>14400</td> <td>25</td> <td>14375</td> <td>115</td> <td>125</td> </tr> <tr> <td>34</td> <td>30</td> <td>4</td> <td>900</td> <td>16</td> <td>884</td> <td>26</td> <td>34</td> </tr> <tr> <td>42</td> <td>40</td> <td>2</td> <td>1600</td> <td>4</td> <td>1596</td> <td>38</td> <td>42</td> </tr> <tr> <td>50</td> <td>50</td> <td>0</td> <td>2500</td> <td>0</td> <td>2500</td> <td>50</td> <td>50</td> </tr> <tr> <td>151</td> <td>150</td> <td>1</td> <td>22500</td> <td>1</td> <td>22499</td> <td>149</td> <td>151</td> </tr> <tr> <td>7000</td> <td>7000</td> <td>0</td> <td>49 000 000</td> <td>0</td> <td>49 000 000</td> <td>7000</td> <td>7000</td> </tr> </tbody> </table>	start	s	u	s^2	u^2	$s^2 - u^2$	$s - u$	$\frac{s^2 - u^2}{s - u}$	125	120	5	14400	25	14375	115	125	34	30	4	900	16	884	26	34	42	40	2	1600	4	1596	38	42	50	50	0	2500	0	2500	50	50	151	150	1	22500	1	22499	149	151	7000	7000	0	49 000 000	0	49 000 000	7000	7000	7	B1 for every 2 correct cells
start	s	u	s^2	u^2	$s^2 - u^2$	$s - u$	$\frac{s^2 - u^2}{s - u}$																																																				
125	120	5	14400	25	14375	115	125																																																				
34	30	4	900	16	884	26	34																																																				
42	40	2	1600	4	1596	38	42																																																				
50	50	0	2500	0	2500	50	50																																																				
151	150	1	22500	1	22499	149	151																																																				
7000	7000	0	49 000 000	0	49 000 000	7000	7000																																																				
1(e)	They are the same oe	1																																																									
2(a)	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>start</th> <th>s</th> <th>u</th> <th>$s^2 - u^2$</th> <th>$s + u$</th> <th>$\frac{s^2 - u^2}{s + u}$</th> </tr> </thead> <tbody> <tr> <td>125</td> <td>120</td> <td>5</td> <td>14375</td> <td>125</td> <td>115</td> </tr> <tr> <td>34</td> <td>30</td> <td>4</td> <td>884</td> <td>34</td> <td>26</td> </tr> <tr> <td>42</td> <td>40</td> <td>2</td> <td>1596</td> <td>42</td> <td>38</td> </tr> <tr> <td>50</td> <td>50</td> <td>0</td> <td>2500</td> <td>50</td> <td>50</td> </tr> <tr> <td>151</td> <td>150</td> <td>1</td> <td>22499</td> <td>151</td> <td>149</td> </tr> <tr> <td>7000</td> <td>7000</td> <td>0</td> <td>49000000</td> <td>7000</td> <td>7000</td> </tr> </tbody> </table>	start	s	u	$s^2 - u^2$	$s + u$	$\frac{s^2 - u^2}{s + u}$	125	120	5	14375	125	115	34	30	4	884	34	26	42	40	2	1596	42	38	50	50	0	2500	50	50	151	150	1	22499	151	149	7000	7000	0	49000000	7000	7000	3	FT <i>their</i> 884 and <i>their</i> 2500 B2 for 4 correct cells or B1 for 2 correct cells														
start	s	u	$s^2 - u^2$	$s + u$	$\frac{s^2 - u^2}{s + u}$																																																						
125	120	5	14375	125	115																																																						
34	30	4	884	34	26																																																						
42	40	2	1596	42	38																																																						
50	50	0	2500	50	50																																																						
151	150	1	22499	151	149																																																						
7000	7000	0	49000000	7000	7000																																																						
2(b)	stem – units oe	1																																																									

Question	Answer	Marks	Partial Marks																												
3(a)	<table border="1"> <thead> <tr> <th>start</th> <th>$s + u$</th> <th>$s - u$</th> <th>$(s + u)(s - u)$</th> </tr> </thead> <tbody> <tr> <td>125</td> <td>125</td> <td>115</td> <td>14 375</td> </tr> <tr> <td>34</td> <td>34</td> <td>26</td> <td>884</td> </tr> <tr> <td>42</td> <td>42</td> <td>38</td> <td>1596</td> </tr> <tr> <td>50</td> <td>50</td> <td>50</td> <td>2500</td> </tr> <tr> <td>151</td> <td>151</td> <td>149</td> <td>22 499</td> </tr> <tr> <td>7000</td> <td>7000</td> <td>7000</td> <td>49 000 000</td> </tr> </tbody> </table>	start	$s + u$	$s - u$	$(s + u)(s - u)$	125	125	115	14 375	34	34	26	884	42	42	38	1596	50	50	50	2500	151	151	149	22 499	7000	7000	7000	49 000 000	2	FT their 26 and their 38 B1 for one correct
start	$s + u$	$s - u$	$(s + u)(s - u)$																												
125	125	115	14 375																												
34	34	26	884																												
42	42	38	1596																												
50	50	50	2500																												
151	151	149	22 499																												
7000	7000	7000	49 000 000																												
3(b)	stem ² – units ² oe	1																													
4(a)(i)	$T^2 - 5T + 5T - 5^2$	1																													
4(a)(ii)	[T =] 180 (180 – 5)(180 + 5) or 175 × 185	1																													
	$180^2 - 5^2$	1																													
	32 375 seen twice	1																													
	OR																														
	[T =] 180 (180 – 5)(180 + 5)	(1)																													
	$180^2 - 900 + 900 - 5^2$	(1)																													
	$180^2 - 5^2$	(1)																													
4(b)	$(T - U)(T + U) = T^2 + UT - UT - U^2 = T^2 - U^2$ [and so $(T - U)$ and $(T + U)$ are always factors.]	2	B1 for $(T - U)(T + U)$ or for $T^2 + UT - UT - U^2$																												

Question	Answer	Marks	Partial Marks																																									
5(a)	Table headings including $T - U$ and $T^2 + U^2$	C1																																										
	Correct answer in the table to a relevant division shown by the heading, or correct relevant division with answer below the table.	C1																																										
	Complete <i>their</i> table <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>start</th> <th>$T - U$</th> <th>$T + U$</th> <th>$T^2 + U^2$</th> <th>$\frac{T^2 + U^2}{T - U}$ or $T - U$ factor</th> <th>$\frac{T^2 + U^2}{T + U}$ or $T + U$ factor</th> </tr> </thead> <tbody> <tr> <td>35</td> <td>25</td> <td>35</td> <td>925</td> <td>37 or Yes or \checkmark</td> <td>26.4.. or No or X</td> </tr> <tr> <td>36</td> <td>24</td> <td>36</td> <td>936</td> <td>39 or Yes or \checkmark</td> <td>26 or Yes or \checkmark</td> </tr> <tr> <td>37</td> <td>23</td> <td>37</td> <td>949</td> <td>41.26.. or No or X</td> <td>25.6.. or No or X</td> </tr> <tr> <td>38</td> <td>22</td> <td>38</td> <td>964</td> <td>43.8.. or No or X</td> <td>25.38..or No or X</td> </tr> <tr> <td>39</td> <td>21</td> <td>39</td> <td>981</td> <td>46.7.. or No or X</td> <td>25.15..or No or X</td> </tr> <tr> <td>40</td> <td>40</td> <td>40</td> <td>1600</td> <td>40 or Yes or \checkmark</td> <td>40 or Yes or \checkmark</td> </tr> </tbody> </table>	start	$T - U$	$T + U$	$T^2 + U^2$	$\frac{T^2 + U^2}{T - U}$ or $T - U$ factor	$\frac{T^2 + U^2}{T + U}$ or $T + U$ factor	35	25	35	925	37 or Yes or \checkmark	26.4.. or No or X	36	24	36	936	39 or Yes or \checkmark	26 or Yes or \checkmark	37	23	37	949	41.26.. or No or X	25.6.. or No or X	38	22	38	964	43.8.. or No or X	25.38..or No or X	39	21	39	981	46.7.. or No or X	25.15..or No or X	40	40	40	1600	40 or Yes or \checkmark	40 or Yes or \checkmark	3
start	$T - U$	$T + U$	$T^2 + U^2$	$\frac{T^2 + U^2}{T - U}$ or $T - U$ factor	$\frac{T^2 + U^2}{T + U}$ or $T + U$ factor																																							
35	25	35	925	37 or Yes or \checkmark	26.4.. or No or X																																							
36	24	36	936	39 or Yes or \checkmark	26 or Yes or \checkmark																																							
37	23	37	949	41.26.. or No or X	25.6.. or No or X																																							
38	22	38	964	43.8.. or No or X	25.38..or No or X																																							
39	21	39	981	46.7.. or No or X	25.15..or No or X																																							
40	40	40	1600	40 or Yes or \checkmark	40 or Yes or \checkmark																																							
5(b)	\underline{U} will always be 0 so	1																																										
	$T^2 + U^2 = T^2$ and both $T + U$ and $T - U = T$.	1																																										