



Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/31

Paper 3 (Core)

October/November 2023

MARK SCHEME

Maximum Mark: 96

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **7** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark


- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.


When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

- | | |
|------|----------------------------|
| awrt | answers which round to |
| cao | correct answer only |
| dep | dependent |
| FT | follow through after error |
| isw | ignore subsequent working |
| nfww | not from wrong working |
| oe | or equivalent |
| rot | rounded or truncated |
| SC | Special Case |
| soi | seen or implied |

Question	Answer	Marks	Partial Marks																									
1(a)	80502	1																										
1(b)	$\frac{63}{100}$	1																										
1(c)	360	2	B1 for 357.9... If 0 scored, SC1 for <i>their</i> value correctly rounded to the nearest 10																									
1(d)	1.106	2	B1 for 1.1057... If 0 scored, SC1 for <i>their</i> value greater than 4 significant figures correctly rounded to 4 significant figures																									
1(e)	36 , 43	2	B1 for each																									
1(f)(i)	17.6[0]	1																										
1(f)(ii)	2.4[0]	1																										
1(g)	[LCM=] 42 [HCF=] 7	3	B1 for [HCF =] 7 AND B2 for [LCM =] 42 or B2 for answers reversed or B1 for [LCM=] $42k$, $k > 0$ or for $14 = 7 \times 2$ and $21 = 3 \times 7$ soi																									
2(a)	Correct stem-and-leaf diagram <table border="1" style="margin-left: 20px;"> <tbody> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">2</td> <td style="padding: 2px 5px;">4</td> <td style="padding: 2px 5px;">9</td> <td colspan="2"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">3</td> <td style="padding: 2px 5px;">1</td> <td style="padding: 2px 5px;">6</td> <td style="padding: 2px 5px;">8</td> <td style="padding: 2px 5px;">8</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">4</td> <td style="padding: 2px 5px;">2</td> <td style="padding: 2px 5px;">6</td> <td style="padding: 2px 5px;">8</td> <td style="padding: 2px 5px;">9</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">5</td> <td style="padding: 2px 5px;">1</td> <td style="padding: 2px 5px;">4</td> <td style="padding: 2px 5px;">8</td> <td></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 5px;">6</td> <td style="padding: 2px 5px;">0</td> <td style="padding: 2px 5px;">2</td> <td colspan="2"></td> </tr> </tbody> </table>	2	4	9			3	1	6	8	8	4	2	6	8	9	5	1	4	8		6	0	2			2	B1 for unordered stem-and-leaf diagram or 3 correct lines
2	4	9																										
3	1	6	8	8																								
4	2	6	8	9																								
5	1	4	8																									
6	0	2																										
	Correct key, e.g. $2 4 = 24$	1																										
2(b)(i)	38	1																										
2(b)(ii)	46	1																										
2(b)(iii)	18	2	B1 for 54 or 36 seen																									
2(b)(iv)	44.4	1																										

Question	Answer	Marks	Partial Marks
3(a)	12864	3	B2 for 864 or M2 for $12000 + \frac{12000 \times 4 \times 1.8}{100}$ or M1 for $\frac{12000[\times 4] \times 1.8}{100}$
3(b)		4	B3 for three correct sectors with no/wrong labels or B2 for one correct sector with correct label or 3 correct angles seen or B1 for one correct angle
4(a)(i)	260.286	1	
4(a)(ii)	1 [min] 14 [s]	3	M2 for $\frac{3.337 \times 60 \times 60}{162}$ soi by 74.155... or M1 for $\frac{3.337}{162}$ soi by 0.02059 ... If 0 scored, SC1 for <i>their</i> time greater than 60s converted correctly to minutes and seconds
4(b)	80.6 or 80.55...	2	M1 for 290×1000 or $290 \div 3600$
4(c)	200 000	2	M1 for $\frac{\text{figs } 9}{450}$
5(a)	$\frac{1}{6}$	1	
5(b)	$\frac{1}{36}$	2	M1 for $\frac{1}{6} \times \frac{1}{6}$ or sample space diagram oe
5(c)	50	2	M1 for $300 \times \frac{1}{6}$
6(a)	(5, 4) (2, 0)	2	B1 for each
6(b)	parallelogram	1	
6(c)	12	2	M1 for $\frac{1}{2} \times 3 \times 4 [\times 2]$ oe

Question	Answer	Marks	Partial Marks
6(d)	0	1	
6(e)	2	1	
7(a)	Correct points plotted	2	B1 for 2 or 3 correctly plotted
7(b)	positive	1	
7(c)	Correct ruled line drawn	2	B1 for ruled line through the mean point but not in tolerance or B1 for ruled line not through mean point but in tolerance
7(d)	6 or 7	1	FT <i>their</i> ruled line with positive gradient
8(a)(i)	385	2	M1 for $6 \times 50 + 85$
8(a)(ii)	7.5	2	M1 for $460 = 50 \times \text{number of hours} + 85$
8(b)	$r = \frac{T - F}{n}$ or $\frac{T}{n} - \frac{F}{n}$	2	M1 for $T - F = rn$ or $\frac{T}{n} = r + \frac{F}{n}$
9(a)		2	B1 for 2 correct values
9(b)(i)	18	1	
9(b)(ii)	2	2	M1 for $6x + 2x = 12 + 4$ or better
9(c)	$-8 < 16$	1	
9(d)	$3y(2y - 1)$	2	M1 for $3(2y^2 - y)$ or $y(6y - 3)$ If 0 scored, SC1 for $2y(3y - 1.5)$
9(e)(i)	5	1	
9(e)(ii)	4	1	
10(a)(i)	90	1	
10(a)(ii)	48	1	
10(a)(iii)	42	1	
10(a)(iv)	132	1	

Question	Answer	Marks	Partial Marks
10(b)	130	3	M2 for $5 \times 180 - (120 + 135 + 125 + 140 + 115 + 135)$ or better or M1 for 5×180 or $(120 + 135 + 125 + 140 + 115 + 135)$ so by 900 or 770
11(a)	24	1	
11(b)	10	2	M1 for $6^2 + 8^2$
11(c)	4.8	2	M1 for <i>their</i> $24 = \frac{1}{2} \times \text{their } 10 \times BD$
12(a)	$4\pi r^2 = 581$	M1	
	$r = 6.79\dots$ leading to 6.8	A1	
12(b)	1320 or 1317. ...	2	M1 for $\frac{4}{3} \times \pi \times 6.8^3$
12(c)	11[.0] or 10.96...	2	M1 for $x^3 = \text{their}(\mathbf{b})$ or better
13(a)	(0, -1)	1	
	(3.68 or 3.677..., 0)	1	
13(b)(i)	(-3.55, 4.78) or (-3.546..., 4.776...)	2	B1 for each If 0 scored, SC1 for (-3.5, 4.8)
13(b)(ii)	(1.88, -3.21) or (1.879..., -3.211...)	2	B1 for each If 0 scored, SC1 for (1.9, -3.2)
13(c)	$-3.21 [< a <] 4.78$	2	FT <i>their</i> max and min B1 for each end point