



Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/41

Paper 4 (Extended)

October/November 2023

MARK SCHEME

Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **9** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark


- M** Method marks, awarded for a valid method applied to the problem.
- A** Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B** Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

- awrt answers which round to
 cao correct answer only
 dep dependent
 FT follow through after error
 isw ignore subsequent working
 nfwf not from wrong working
 oe or equivalent
 rot rounded or truncated
 SC Special Case
 soi seen or implied

Question	Answer	Marks	Partial Marks
1(a)	150	1	
1(b)	[0].18	2	M1 for $\frac{7.2}{100} \times 2.5$ oe
1(c)	445.19 or 445 or 445.19...	2	M1 for $400 \times \left(\frac{100+1.8}{100}\right)^6$ oe
1(d)(i)	28 500	2	M1 for $[\dots] \times \left(\frac{100+4}{100}\right) = 29640$ oe
1(d)(ii)	8 nfw	4	<p>B3 for 7.64 or 7.642 to 7.643</p> <p>or</p> <p>M3 $n \log\left(1 + \frac{4}{100}\right) = \log\left(\frac{40000}{29640}\right)$ oe</p> <p>or for good sketch indicating value between 7 and 8</p> <p>or for correct trials reaching 7 and 8</p> <p>or</p> <p>M2 for $\left(1 + \frac{4}{100}\right)^n = \frac{40000}{29640}$ oe</p> <p>or suitable graph with $n > 1$</p> <p>or at least 3 correct trials</p> <p>or</p> <p>M1 for $29640 \times \left(1 + \frac{4}{100}\right)^n = 40000$ oe</p> <p>soi by at least 2 trials with $n > 1$</p>
2(a)	<p>Correct sketch</p>	3	<p>Two branches with small gap at approx $x = 180$</p> <p>B2 for two correct shaped branches but with large gap or too much overlap</p> <p>or</p> <p>B1 for one correct branch</p>
2(b)	(90, 1)	1	
2(c)	<p>$x = 180$</p> <p>$x = 0$ and $x = 360$</p>	2	<p>B1</p> <p>B1</p> <p>If 0 scored, SC1 for all 3 values seen</p>
2(d)	$-1 < k < 1$	2	<p>B1 for each</p> <p>If 0 scored, SC1 for $-1 \leq k \leq 1$</p>

Question	Answer	Marks	Partial Marks
2(e)	38[.0] or 37.95... AND 168 or 168.4... 	3	B1 for either solution correct or B1 for both solutions expressed in coordinate form AND B1 Correct sine curve through (0, 0), (360, 0) and with amplitude approximately 5
3(a)(i)	170	1	
3(a)(ii)	22	2	B1 for 158 or 180 seen
3(a)(iii)	172	2	B1 for 28 seen
3(b)	28, 72, 48 to 52, 52 to 48 [total = 200]	2	B1 for two or three correct
3(c)	166.4 to 166.6	2	M1 for 3 or more mid-values soi
4(a)(i)	$\begin{pmatrix} -7 \\ 0 \end{pmatrix}$	2	B1 for each or for $\begin{pmatrix} -10 \\ 2 \end{pmatrix}$ seen
4(a)(ii)	(5, 4)	1	
4(a)(iii)	5.1[0] or 5.099...	2	M1 for $(-5)^2 + 1^2$ oe
4(b)	$\begin{pmatrix} -2 \\ 2 \end{pmatrix}$	2	B1 for each
4(c)(i)	Translation $\begin{pmatrix} 2 \\ -5 \end{pmatrix}$	2	B1 for each
4(c)(ii)	Rotation 90° [anticlockwise] oe (0, 2)	3	B1 for each
4(c)(iii)	Image at (-1, 1) (-3, 1), (-1, 2)	1	
4(c)(iv)	Image at (1, 0), (1, -3), (3, -3)	2	B1 for stretch factor 3 in $y = k$ or in $x = 3$
5(a)	$-5 \leq f(x) \leq 15$	2	B1 for each If 0 scored, SC1 for -5 and 15 seen
5(b)(i)	1.5 oe	2	M1 for $2x = -2 + 5$

Question	Answer	Marks	Partial Marks
5(b)(ii)	-2 and 0	3	B2 for $x^2 + 2x = 0$ oe or M1 for $x^2 + x + 3 = 3 - x$
5(c)	15	2	B1 for $f(4) = 3$ stated or used twice or M1 for $(2x - 5)^2 + (2x - 5) + 3$ oe
5(d)	-1	2	M1 for $2^3 - 3^2$ oe
5(e)	$\sqrt[3]{x}$ oe	1	
5(f)	$\log_3 x$ or $\frac{\log x}{\log 3}$	2	M1 for $x = \log_3 y$ or $x = \frac{\log y}{\log 3}$ or for $x = 3^y$
6(a)	21 : 19 cao	2	B1 for answer 84 : 76 or M1 for $\frac{1}{2}(160) + 4$ or $\frac{1}{2}(160) - 4$ If 0 scored, SC1 for final answer of 19 : 21
6(b)	5.6[0] or 5.599 to 5.600	3	M2 for $\sqrt[6]{\frac{1.664}{1.2}}$ oe or M1 for $1.2 \times [\dots]^6 = 1.664$
6(c)(i)	1.35×10^{122} cao	2	B1 for 13.5×10^{121} oe seen
6(c)(ii)	2.02×10^n cao	2	B1 for figs 202
7(a)	8	3	B2 for $x + 2x = 10 + 14$ or better or M1 for $x + 2(x - 5) = 14$ oe
7(b)(i)	$\frac{5}{y} + \frac{7}{y-7} = 2$ oe	M1	
	$5(y - 7) + 7y = 2y(y - 7)$	M1	dep fractions correctly cleared dependent on equation with two different linear denominators
	leading to $2y^2 - 26y + 35 = 0$	A1	No errors or omissions

Question	Answer	Marks	Partial Marks
7(b)(ii)	1.53 or 1.525... AND 11.5 or 11.47...	3	<p>M2 for $\frac{26 \pm \sqrt{(-26)^2 - 4(2)(35)}}{2(2)}$</p> <p>or correct shaped graph with 2 intersections on the positive x-axis or</p> <p>M1 for $\sqrt{(-26)^2 - 4(2)(35)}$</p> <p>or for $\frac{26 + (\text{or } -)\sqrt{p}}{2(2)}$</p> <p>If 0 scored, SC2 for 2 correct solutions given in surd form or SC1 for 1 correct solution</p>
7(b)(iii)	4.5 or 4.47...	1	FT <i>their</i> positive solution – 7, provided final answer positive
8(a)	22[.0] or 21.99...	2	M1 for $\frac{140}{360} \times 2 \times \pi \times 9$ oe
8(b)	99[.0] or 98.96 to 98.97...	2	M1 for $\frac{140}{360} \times \pi \times 9^2$ oe
8(c)	998 or 997.7 to 998.0	4	<p>M1 for <i>their</i> (a) $\times 20$</p> <p>M1 for <i>their</i> (b) $\times 2$</p> <p>M1 for $[2 \times] 9 \times 20$</p>
8(d)	1230 or 1231 to 1232...nfw	2	<p>FT <i>their</i> (c) $\times \left(\frac{10}{9}\right)^2$</p> <p>M1 for $\left(\frac{10}{9}\right)^2$ or $\left(\frac{9}{10}\right)^2$</p>
9(a)	45	1	
9(b)	$\frac{1}{6}$ and $\frac{1}{5}$ correctly placed $\frac{2}{5}$ and $\frac{3}{5}$ correctly placed	2	<p>B1</p> <p>B1</p>
9(c)	$\frac{11}{5}$ oe	3	<p>M2 for $\frac{5}{6} \times \frac{4}{5} + \text{their } \frac{1}{6} \times \text{their } \frac{2}{5}$</p> <p>or</p> <p>M1 for $\frac{5}{6} \times \frac{4}{5}$ or $\text{their } \frac{1}{6} \times \text{their } \frac{2}{5}$</p>

Question	Answer	Marks	Partial Marks
9(d)	$\frac{25}{7776}$ oe	3	M2 for $\left(\frac{5}{6}\right)\left(\text{their } \frac{1}{6}\right)^4$ [×5] oe or M1 for $\left(\frac{5}{6}\right)\left(\text{their } \frac{1}{6}\right)^k, k > 1$
10(a)(i)	$\frac{kt}{6p}$ final answer	1	
10(a)(ii)	$\frac{5u}{21}$ final answer	2	M1 for correct use of common denominator $\frac{3uk}{21k} + \frac{2uk}{21k}$
10(b)	$\frac{x+6}{2(x+7)}$ or $\frac{x+6}{2x+14}$ final answer	4	B2 for $(x+6)(x-7)$ or B1 for $(x+a)(x+b)$ with $ab = -42$ or $a+b = -1$ or for $x(x+6) - 7(x+6)$ or $x(x-7) + 6(x-7)$ B1 for $2(x+7)(x-7)$ or $(2x+14)(x-7)$ or $(2x-14)(x+7)$
10(c)	$\frac{-2g^2 + 23g + 15}{5(g+1)}$ final answer	3	B1 for $5(g-1) - 2g(g+1) + 5 \times 4(g+1)$ oe or better B1 for common denominator seen $5(g+1)$ or $5g+5$
11(a)	29.3 or 29.25...	2	M1 for $\frac{1}{2} \times 8 \times 10 \sin 47$
11(b)	5.85 to 5.86	3	M2 for $\sin 47 = \frac{\text{distance}}{8}$ oe or for $\frac{2 \times \text{their(a)}}{10}$ oe or M1 for recognition of shortest distance
11(c)	$\sqrt{8^2 + 10^2 - 2 \times 8 \times 10 \cos 47}$	M2	M1 for $8^2 + 10^2 - 2 \times 8 \times 10 \cos 47$ oe A1 for 54.9 or 54.88...
	7.408...	A1	

Question	Answer	Marks	Partial Marks
11(d)	5.06 or 5.07 or 5.064 to 5.066	4	M3 for $\frac{\frac{1}{2} \times 7.41}{\sin 47}$ oe or M2 for $\sin 47 = \frac{\frac{1}{2} \times 7.41}{\text{radius}}$ oe or M1 for angle $BOC = 94$ soi