

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/01

Paper 1 Multiple Choice

October/November 2006

45 minutes

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

This document consists of **17** printed pages and **3** blank pages.




- 1 Which diagram shows how the particles in a mixture of two gases are arranged?



- 2 An ink can be separated by chromatography.


Which diagram shows the correct way to set up the apparatus?



- 3 What can be deduced from the number of protons and number of neutrons in an atom?

	group number	nucleon number
A	✓	✓
B	✓	x
C	x	✓
D	x	x

- 4 The dot-and-cross diagram shows the **outer** shell electrons in a molecule with a single bond.



What could this molecule be?

	H ₂	Cl ₂	HCl
A	✓	✓	✓
B	✓	x	x
C	x	✓	x
D	x	x	✓

- 5 What is the formula of copper(II) oxide and of sulphur hexafluoride?


	copper(II) oxide	sulphur hexafluoride
A	CuO	SF ₆
B	CuO	S ₆ F
C	Cu ₂ O	SF ₆
D	Cu ₂ O	S ₆ F

- 6 Some white anhydrous copper(II) sulphate powder is put into a beaker of water and stirred.

What shows that the process is exothermic?

- A** A blue solution forms.
- B** A colourless solution forms.
- C** The beaker feels cooler to touch.
- D** The beaker feels warmer to touch.


- 7 Substance **X** does not react with dilute acid but substance **Y** does, forming a gaseous product. The graph shows the results of experiments using **Y** and dilute acid alone and then with **X**.



What do these results show about **X**?

	X is a catalyst	X is quickly used up
A	✓	✓
B	✓	✗
C	✗	✓
D	✗	✗

- 8 The diagram shows an experiment.




The crucible and contents are weighed before heating and then reweighed when cool.

What happens to the mass of the crucible and contents?

	the mass	because the magnesium is
A	decreases	oxidised
B	decreases	reduced
C	increases	oxidised
D	increases	reduced

9 The diagram shows a titration experiment.




Which pH values in the table could be correct?

	start		end-point
	dilute hydrochloric acid	aqueous sodium carbonate	solution in conical flask
A	2	7	5
B	2	9	7
C	12	7	9
D	12	9	7

10 Which equation shows a neutralisation reaction?

- A** $\text{NH}_3 + \text{HCl} \rightarrow \text{NH}_4\text{Cl}$
- B** $2\text{N}_2 + 3\text{H}_2 \rightarrow 2\text{NH}_3$
- C** $2\text{NaBr} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{Br}_2$
- D** $\text{S} + \text{O}_2 \rightarrow \text{SO}_2$

11 Solution X is tested as shown.



Which ions are present in solution X?

	anion	cation
A	nitrate	copper(II)
B	nitrate	iron(II)
C	sulphate	copper(II)
D	sulphate	iron(II)

12 Which of the following reacts with aqueous sodium bromide?

- A** chloride ions
- B** chlorine
- C** iodide ions
- D** iodine

13 Which Group I metal and which Group VII non-metal react together most vigorously?

	Group I	Group VII
A	lithium	bromine
B	lithium	chlorine
C	potassium	bromine
D	potassium	chlorine

- 14 Students are asked to complete the following sentence about the elements helium and argon.

They form ...1... bonds because all of their atoms have outer shells that2.....

Which student is correct?

student	gap 1	gap 2
A	covalent	are full of electrons
B	covalent	have 8 electrons
C	no	are full of electrons
D	no	have 8 electrons

- 15 What is made from aluminium because of its low density?

- A** aircraft frames
- B** food cans
- C** pencil sharpeners
- D** window frames

- 16 A container is to be used to store either water or dilute sulphuric acid.


Which material can be used for making the container?

- A** glass and magnesium
- B** glass and poly(ethene)
- C** magnesium and poly(ethene)
- D** glass, magnesium and poly(ethene)

- 17 Which three elements should a balanced fertiliser contain?

- A** Na, C, P
- B** Na, P, K
- C** K, C, N
- D** K, P, N

18 The diagram shows a lime kiln.



What are **X** and **Y**?

	X	Y
A	lime	limestone
B	lime	slaked lime
C	limestone	lime
D	slaked lime	lime





19 The molecular formulae for four hydrocarbons are shown.

CH_4	C_2H_4	C_3H_6	C_4H_{10}
1	2	3	4


Which of these hydrocarbons belong to the same homologous series?

- A** 1 and 2
- B** 1, 2 and 4
- C** 2 and 3
- D** 2, 3 and 4

20 In which pair are **both** molecules unsaturated?




21 A ruler is used to measure the length of a nail.



What is the length of the nail?

- A 1.3 cm B 2.9 cm C 5.2 cm D 8.1 cm

22 A car travels along the route PQRST in 30 minutes.




What is the average speed of the car?

- A 10 km/hour
 - B 20 km/hour
 - C 30 km/hour
 - D 60 km/hour
- 23 A newton is a unit of force.

Which quantity is measured in newtons?

- A acceleration
- B density
- C mass
- D weight

24 A student pours liquid into a measuring cylinder.




The student records the volume of the liquid from the scale on the measuring cylinder. He then puts the measuring cylinder containing the liquid on a balance and records the mass.

What else needs to be measured before the density of the liquid can be calculated?

- A the depth of the liquid in the measuring cylinder
 - B the mass of the empty measuring cylinder
 - C the temperature of the liquid in the measuring cylinder
 - D the volume of the empty measuring cylinder
- 25 Which source of energy uses the production of steam to generate electricity?
- A hydroelectric
 - B nuclear
 - C tides
 - D waves

26 A cyclist travels down a hill from rest at point X without pedalling.

The cyclist applies his brakes and the cycle stops at point Y.



Which energy changes have taken place between X and Y?

- A energy of motion → heat → gravitational
 - B energy of motion → gravitational → heat
 - C gravitational → heat → energy of motion
 - D gravitational → energy of motion → heat
- 27 A block of ice is heated until it has all melted. The water that is produced is then heated until it boils.

Which line in the table states what happens to the temperature of the ice while it is melting, and to the temperature of the water while it is boiling?


	temperature of ice while it is melting	temperature of water while it is boiling
A	increases	increases
B	increases	stays the same
C	stays the same	increases
D	stays the same	stays the same

28 Which line in the table is correct about conduction and convection?


	conduction	convection
A	can happen in a solid	can happen in a solid
B	can happen in a solid	only happens in fluids
C	only happens in fluids	can happen in a solid
D	only happens in fluids	only happens in fluids

29 A parallel beam of light falls on a converging lens.

Which diagram shows what happens to the beam of light?



30 The image of a clock face as seen in a plane mirror is shown.




What is the time on the clock?


- A 1.25 B 1.35 C 10.25 D 10.35

31 A student uses three small plotting compasses to investigate the magnetic field around a bar magnet.

Which diagram shows the directions in which the compass needles point?



32 The ends of three metal rods are tested by holding end Q of rod 1 close to the others



The results are as follows.

End Q: attracts end R,
attracts end S,
attracts end T,
repels end U.

Which of the metal rods is a magnet?


- A rod 1 only
 - B rod 1 and rod 2 only
 - C rod 1 and rod 3 only
 - D rod 3 only
- 33 A student wishes to measure the electromotive force (e.m.f.) of a battery and the potential difference (p.d.) across a resistor.

She has the resistor, the battery and some connecting wires.

What else does she need?

- A a voltmeter only
- B an ammeter only
- C an ammeter and a voltmeter
- D a force meter (newton meter) and a voltmeter


- 34 In the circuit below, one of the lamps breaks, causing all the other lamps to go out.
Which lamp breaks?



- 35 An electric heater is connected to the mains, using insulated copper wires. The wires become very warm.

What can be done to prevent so much heat being produced in the connecting wires?

- A Use thicker copper wires.
 - B Use thinner copper wires.
 - C Use thicker insulation.
 - D Use thinner insulation.
- 36 Particles are emitted by a heated cathode in a cathode-ray tube.



What are these particles?

- A atoms
- B electrons
- C neutrons
- D protons

37 Which line in the table describes the nature of an alpha-particle and of a gamma-ray?

	alpha-particle	gamma-ray
A	helium nucleus	electromagnetic radiation
B	helium nucleus	electron
C	proton	electromagnetic radiation
D	proton	electron

38 The count rates of four radioactive sources were measured at the same time on three consecutive days.

Which source has a half-life of two days?

	Monday	Tuesday	Wednesday
A	100	50	25
B	200	140	100
C	300	300	300
D	400	200	100

39 Which statement is true of all neutral atoms?

- A** The number of electrons equals the number of nucleons.
- B** The number of neutrons equals the number of protons.
- C** The number of nucleons equals the number of neutrons.
- D** The number of protons equals the number of electrons.

40 There are three nuclides of hydrogen.

nuclide 1	nuclide 2	nuclide 3
${}^1_1\text{H}$	${}^2_1\text{H}$	${}^3_1\text{H}$

Which of these nuclides have the same number of protons in their nuclei?

- A** 1 and 2 only
- B** 2 and 3 only
- C** all of them
- D** none of them

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																																							
I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII																																																																																														
		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: right;">1</td> <td style="width: 5%; text-align: center;">H Hydrogen 1</td> <td colspan="10"></td> </tr> </table>										1	H Hydrogen 1																																																																																												
1	H Hydrogen 1																																																																																																								
7	Li Lithium 3	Be Beryllium 4																																																																																																							
23	Na Sodium 11	Mg Magnesium 12																																																																																																							
39	K Potassium 19	Ca Calcium 20	Sc Scandium 21	Ti Titanium 22	V Vanadium 23	Cr Chromium 24	Mn Manganese 25	Fe Iron 26	Ni Nickel 28	Cu Copper 29	Zn Zinc 30	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36																																																																																								
85	Rb Rubidium 37	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54																																																																																							
133	Cs Caesium 55	Ba Barium 56	La Lanthanum 57	Hf Hafnium 72	Ta Tantalum 73	W Tungsten 74	Re Rhenium 75	Os Osmium 76	Ir Iridium 77	Pt Platinum 78	Au Gold 79	Hg Mercury 80	Tl Thallium 81	Pb Lead 82	Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86																																																																																							
226	Fr Francium 87	Ra Radium 88	Ac Actinium 89																																																																																																						
		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: right;">9</td> <td style="width: 5%; text-align: center;">Li Lithium 3</td> <td style="width: 5%; text-align: center;">Be Beryllium 4</td> <td colspan="10"></td> </tr> <tr> <td style="width: 5%; text-align: right;">24</td> <td style="width: 5%; text-align: center;">Na Sodium 11</td> <td style="width: 5%; text-align: center;">Mg Magnesium 12</td> <td colspan="10"></td> </tr> <tr> <td style="width: 5%; text-align: right;">40</td> <td style="width: 5%; text-align: center;">K Potassium 19</td> <td style="width: 5%; text-align: center;">Ca Calcium 20</td> <td style="width: 5%; text-align: center;">Sc Scandium 21</td> <td style="width: 5%; text-align: center;">Ti Titanium 22</td> <td style="width: 5%; text-align: center;">V Vanadium 23</td> <td style="width: 5%; text-align: center;">Cr Chromium 24</td> <td style="width: 5%; text-align: center;">Mn Manganese 25</td> <td style="width: 5%; text-align: center;">Fe Iron 26</td> <td style="width: 5%; text-align: center;">Ni Nickel 28</td> <td style="width: 5%; text-align: center;">Cu Copper 29</td> <td style="width: 5%; text-align: center;">Zn Zinc 30</td> <td style="width: 5%; text-align: center;">Ga Gallium 31</td> <td style="width: 5%; text-align: center;">Ge Germanium 32</td> <td style="width: 5%; text-align: center;">As Arsenic 33</td> <td style="width: 5%; text-align: center;">Se Selenium 34</td> <td style="width: 5%; text-align: center;">Br Bromine 35</td> <td style="width: 5%; text-align: center;">Kr Krypton 36</td> </tr> <tr> <td style="width: 5%; text-align: right;">88</td> <td style="width: 5%; text-align: center;">Sr Strontium 38</td> <td style="width: 5%; text-align: center;">Y Yttrium 39</td> <td style="width: 5%; text-align: center;">Zr Zirconium 40</td> <td style="width: 5%; text-align: center;">Nb Niobium 41</td> <td style="width: 5%; text-align: center;">Mo Molybdenum 42</td> <td style="width: 5%; text-align: center;">Tc Technetium 43</td> <td style="width: 5%; text-align: center;">Ru Ruthenium 44</td> <td style="width: 5%; text-align: center;">Rh Rhodium 45</td> <td style="width: 5%; text-align: center;">Pd Palladium 46</td> <td style="width: 5%; text-align: center;">Ag Silver 47</td> <td style="width: 5%; text-align: center;">Cd Cadmium 48</td> <td style="width: 5%; text-align: center;">In Indium 49</td> <td style="width: 5%; text-align: center;">Sn Tin 50</td> <td style="width: 5%; text-align: center;">Sb Antimony 51</td> <td style="width: 5%; text-align: center;">Te Tellurium 52</td> <td style="width: 5%; text-align: center;">I Iodine 53</td> <td style="width: 5%; text-align: center;">Xe Xenon 54</td> </tr> <tr> <td style="width: 5%; text-align: right;">137</td> <td style="width: 5%; text-align: center;">Rb Rubidium 37</td> <td style="width: 5%; text-align: center;">Sr Strontium 38</td> <td style="width: 5%; text-align: center;">Y Yttrium 39</td> <td style="width: 5%; text-align: center;">Zr Zirconium 40</td> <td style="width: 5%; text-align: center;">Nb Niobium 41</td> <td style="width: 5%; text-align: center;">Mo Molybdenum 42</td> <td style="width: 5%; text-align: center;">Tc Technetium 43</td> <td style="width: 5%; text-align: center;">Ru Ruthenium 44</td> <td style="width: 5%; text-align: center;">Rh Rhodium 45</td> <td style="width: 5%; text-align: center;">Pd Palladium 46</td> <td style="width: 5%; text-align: center;">Ag Silver 47</td> <td style="width: 5%; text-align: center;">Cd Cadmium 48</td> <td style="width: 5%; text-align: center;">In Indium 49</td> <td style="width: 5%; text-align: center;">Sn Tin 50</td> <td style="width: 5%; text-align: center;">Sb Antimony 51</td> <td style="width: 5%; text-align: center;">Te Tellurium 52</td> <td style="width: 5%; text-align: center;">I Iodine 53</td> <td style="width: 5%; text-align: center;">Xe Xenon 54</td> </tr> <tr> <td style="width: 5%; text-align: right;">226</td> <td style="width: 5%; text-align: center;">Fr Francium 87</td> <td style="width: 5%; text-align: center;">Ra Radium 88</td> <td style="width: 5%; text-align: center;">Ac Actinium 89</td> <td colspan="9"></td> </tr> </table>										9	Li Lithium 3	Be Beryllium 4											24	Na Sodium 11	Mg Magnesium 12											40	K Potassium 19	Ca Calcium 20	Sc Scandium 21	Ti Titanium 22	V Vanadium 23	Cr Chromium 24	Mn Manganese 25	Fe Iron 26	Ni Nickel 28	Cu Copper 29	Zn Zinc 30	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36	88	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54	137	Rb Rubidium 37	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54	226	Fr Francium 87	Ra Radium 88	Ac Actinium 89									
9	Li Lithium 3	Be Beryllium 4																																																																																																							
24	Na Sodium 11	Mg Magnesium 12																																																																																																							
40	K Potassium 19	Ca Calcium 20	Sc Scandium 21	Ti Titanium 22	V Vanadium 23	Cr Chromium 24	Mn Manganese 25	Fe Iron 26	Ni Nickel 28	Cu Copper 29	Zn Zinc 30	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36																																																																																								
88	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54																																																																																								
137	Rb Rubidium 37	Sr Strontium 38	Y Yttrium 39	Zr Zirconium 40	Nb Niobium 41	Mo Molybdenum 42	Tc Technetium 43	Ru Ruthenium 44	Rh Rhodium 45	Pd Palladium 46	Ag Silver 47	Cd Cadmium 48	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54																																																																																							
226	Fr Francium 87	Ra Radium 88	Ac Actinium 89																																																																																																						
		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: right;">11</td> <td style="width: 5%; text-align: center;">B Boron 5</td> <td style="width: 5%; text-align: center;">C Carbon 6</td> <td style="width: 5%; text-align: center;">N Nitrogen 7</td> <td style="width: 5%; text-align: center;">O Oxygen 8</td> <td style="width: 5%; text-align: center;">F Fluorine 9</td> <td style="width: 5%; text-align: center;">Ne Neon 10</td> <td colspan="5"></td> </tr> <tr> <td style="width: 5%; text-align: right;">27</td> <td style="width: 5%; text-align: center;">Al Aluminium 13</td> <td style="width: 5%; text-align: center;">Si Silicon 14</td> <td style="width: 5%; text-align: center;">P Phosphorus 15</td> <td style="width: 5%; text-align: center;">S Sulphur 16</td> <td style="width: 5%; text-align: center;">Cl Chlorine 17</td> <td style="width: 5%; text-align: center;">Ar Argon 18</td> <td colspan="5"></td> </tr> <tr> <td style="width: 5%; text-align: right;">70</td> <td style="width: 5%; text-align: center;">Ga Gallium 31</td> <td style="width: 5%; text-align: center;">Ge Germanium 32</td> <td style="width: 5%; text-align: center;">As Arsenic 33</td> <td style="width: 5%; text-align: center;">Se Selenium 34</td> <td style="width: 5%; text-align: center;">Br Bromine 35</td> <td style="width: 5%; text-align: center;">Kr Krypton 36</td> <td colspan="5"></td> </tr> <tr> <td style="width: 5%; text-align: right;">115</td> <td style="width: 5%; text-align: center;">In Indium 49</td> <td style="width: 5%; text-align: center;">Sn Tin 50</td> <td style="width: 5%; text-align: center;">Sb Antimony 51</td> <td style="width: 5%; text-align: center;">Te Tellurium 52</td> <td style="width: 5%; text-align: center;">I Iodine 53</td> <td style="width: 5%; text-align: center;">Xe Xenon 54</td> <td colspan="5"></td> </tr> <tr> <td style="width: 5%; text-align: right;">204</td> <td style="width: 5%; text-align: center;">Tl Thallium 81</td> <td style="width: 5%; text-align: center;">Pb Lead 82</td> <td style="width: 5%; text-align: center;">Bi Bismuth 83</td> <td style="width: 5%; text-align: center;">Po Polonium 84</td> <td style="width: 5%; text-align: center;">At Astatine 85</td> <td style="width: 5%; text-align: center;">Rn Radon 86</td> <td colspan="5"></td> </tr> </table>										11	B Boron 5	C Carbon 6	N Nitrogen 7	O Oxygen 8	F Fluorine 9	Ne Neon 10						27	Al Aluminium 13	Si Silicon 14	P Phosphorus 15	S Sulphur 16	Cl Chlorine 17	Ar Argon 18						70	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36						115	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54						204	Tl Thallium 81	Pb Lead 82	Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86																																							
11	B Boron 5	C Carbon 6	N Nitrogen 7	O Oxygen 8	F Fluorine 9	Ne Neon 10																																																																																																			
27	Al Aluminium 13	Si Silicon 14	P Phosphorus 15	S Sulphur 16	Cl Chlorine 17	Ar Argon 18																																																																																																			
70	Ga Gallium 31	Ge Germanium 32	As Arsenic 33	Se Selenium 34	Br Bromine 35	Kr Krypton 36																																																																																																			
115	In Indium 49	Sn Tin 50	Sb Antimony 51	Te Tellurium 52	I Iodine 53	Xe Xenon 54																																																																																																			
204	Tl Thallium 81	Pb Lead 82	Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86																																																																																																			
		<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 5%; text-align: right;">140</td> <td style="width: 5%; text-align: center;">Ce Cerium 58</td> <td style="width: 5%; text-align: center;">Pr Praseodymium 59</td> <td style="width: 5%; text-align: center;">Nd Neodymium 60</td> <td style="width: 5%; text-align: center;">Pm Promethium 61</td> <td style="width: 5%; text-align: center;">Sm Samarium 62</td> <td style="width: 5%; text-align: center;">Eu Europium 63</td> <td style="width: 5%; text-align: center;">Gd Gadolinium 64</td> <td style="width: 5%; text-align: center;">Tb Terbium 65</td> <td style="width: 5%; text-align: center;">Dy Dysprosium 66</td> <td style="width: 5%; text-align: center;">Ho Holmium 67</td> <td style="width: 5%; text-align: center;">Er Erbium 68</td> <td style="width: 5%; text-align: center;">Tm Thulium 69</td> <td style="width: 5%; text-align: center;">Yb Ytterbium 70</td> <td style="width: 5%; text-align: center;">Lu Lutetium 71</td> </tr> <tr> <td style="width: 5%; text-align: right;">232</td> <td style="width: 5%; text-align: center;">Th Thorium 90</td> <td style="width: 5%; text-align: center;">Pa Protactinium 91</td> <td style="width: 5%; text-align: center;">U Uranium 92</td> <td style="width: 5%; text-align: center;">Np Neptunium 93</td> <td style="width: 5%; text-align: center;">Pu Plutonium 94</td> <td style="width: 5%; text-align: center;">Am Americium 95</td> <td style="width: 5%; text-align: center;">Cm Curium 96</td> <td style="width: 5%; text-align: center;">Bk Berkelium 97</td> <td style="width: 5%; text-align: center;">Cf Californium 98</td> <td style="width: 5%; text-align: center;">Es Einsteinium 99</td> <td style="width: 5%; text-align: center;">Fm Fermium 100</td> <td style="width: 5%; text-align: center;">Md Mendelevium 101</td> <td style="width: 5%; text-align: center;">No Nobelium 102</td> <td style="width: 5%; text-align: center;">Lr Lawrencium 103</td> </tr> </table>										140	Ce Cerium 58	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71	232	Th Thorium 90	Pa Protactinium 91	U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103																																																																
140	Ce Cerium 58	Pr Praseodymium 59	Nd Neodymium 60	Pm Promethium 61	Sm Samarium 62	Eu Europium 63	Gd Gadolinium 64	Tb Terbium 65	Dy Dysprosium 66	Ho Holmium 67	Er Erbium 68	Tm Thulium 69	Yb Ytterbium 70	Lu Lutetium 71																																																																																											
232	Th Thorium 90	Pa Protactinium 91	U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103																																																																																											

* 58-71 Lanthanoid series
† 90-103 Actinoid series

Key

a	X
b	†

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).