



## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

PHYSICAL SCIENCE 0652/02

Paper 2 Multiple Choice (Extended)

For Examination from 2017

SPECIMEN PAPER

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**. **B**. **C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.




**1** The diagram shows the results of a chromatography experiment.



Which pair of substances are pure substances?

- **A** U and X
- **B** U and Z
- C V and W
- **D** W and Y


2 The diagrams show two different atoms.



Which statement is **not** correct?


- A Atoms P and Q are isotopes of the same element.
- **B** Atom P has the electronic configuration 2,3.
- **C** Atom Q is boron.
- **D** The nucleon number of atom P is 9.

3 Ethene is an unsaturated hydrocarbon.



Which description of the bonding in ethene is correct?

- **A** All of the atoms in the molecule share eight electrons.
- **B** Each carbon atom shares two of its electrons with hydrogen atoms and two of its electrons with a carbon atom.
- **C** Each carbon atom shares two of its electrons with hydrogen atoms and one of its electrons with a carbon atom.
- **D** The two carbon atoms share a total of six electrons with other atoms.
- **4** The structures of two different forms of carbon are shown.



Which statement about diamond and graphite is correct?

- A Diamond does not conduct electricity because its atoms are unable to move.
- **B** Diamond has a high melting point because of strong ionic bonds between its atoms.
- **C** Graphite conducts electricity because electrons are free to move.
- **D** Graphite has a low melting point because of weak bonds between the layers.

5 Iron is a metal. The structure of iron is described as a lattice of positive ions in a 'sea of electrons'.

Which statements about iron are correct?

- 1 Iron conducts electricity because electrons are free to move.
- 2 Iron has a high melting point due to strong covalent bonds.
- 3 Iron is an alloy.
- Iron is malleable because the layers of atoms can slide over each other. 4
- Α 1 only
- В 1 and 3
- C 1 and 4
- 2. 3 and 4 D
- 6 Which expression shows how the relative atomic mass  $(A_r)$  of an element is defined?
  - mass of one atom of an element × mass of one atom of carbon–12
  - mass of one atom of an element  $\times$  mass of one atom of carbon–12  $\times$  12 В
  - mass of one atom of an element × 12 C mass of one atom of carbon-12
  - mass of one atom of an element mass of one atom of carbon-12×12
- 10 cm<sup>3</sup> of propene, C<sub>3</sub>H<sub>6</sub>, are reacted with 60 cm<sup>3</sup> of oxygen. 7

The equation for the reaction is

$$2 \text{C}_3 \text{H}_6(\text{g}) \ + \ 9 \text{O}_2(\text{g}) \ \rightarrow \ 6 \text{CO}_2(\text{g}) \ + \ 6 \text{H}_2 \text{O(I)}$$

What is the total volume of gas remaining at the end of the reaction? (All volumes are measured at room temperature and pressure.)

- **A**  $30 \, \text{cm}^3$  **B**  $45 \, \text{cm}^3$  **C**  $60 \, \text{cm}^3$
- **D**  $70 \, \text{cm}^3$

- **8** What is the concentration of a solution containing 2.8 g of potassium hydroxide in 500 cm<sup>3</sup> of solution?
  - $\mathbf{A}$  0.025 mol/dm<sup>3</sup>
  - $\mathbf{B}$  0.10 mol/dm<sup>3</sup>
  - $\mathbf{C}$  0.25 mol/dm<sup>3</sup>
  - $\mathbf{D}$  1.0 mol/dm<sup>3</sup>
- 9 In which reaction does light provide the energy for the reaction to occur?
  - A explosion of flour in a flour mill
  - **B** fermentation of glucose to ethanol
  - C oxidation of iron to form rust
  - **D** reduction of silver ions to silver
- 10 Zinc reacts with steam to form zinc oxide and hydrogen.

$$Zn + H_2O \rightarrow ZnO + H_2$$

During the reaction, which substance is oxidised?

- A hydrogen
- **B** water
- C zinc
- **D** zinc oxide
- **11** Ammonia reacts with water to produce ammonium hydroxide solution.

Which row in the table describes the roles of ammonia and water in this reaction?

|   | ammonia             | water               |
|---|---------------------|---------------------|
| Α | accepts a proton    | donates a proton    |
| В | accepts an electron | donates an electron |
| С | donates a proton    | accepts a proton    |
| D | donates an electron | accepts an electron |

**12** Reactions of four different oxides W, X, Y and Z are described.

W reacts with hydrochloric acid but not with sodium hydroxide.

X reacts with both hydrochloric acid and sodium hydroxide.

Y does not react with either hydrochloric acid or sodium hydroxide.

Z does not react with hydrochloric acid but does react with sodium hydroxide.

Which row shows the correct types of oxide?

|   | acidic | basic | amphoteric | neutral |
|---|--------|-------|------------|---------|
| Α | W      | Z     | Х          | Y       |
| В | X      | W     | Y          | Z       |
| С | Z      | X     | Y          | W       |
| D | Z      | W     | X          | Y       |

13 When solid calcium hydroxide and solid ammonium chloride are heated together, a colourless gas is formed.


The gas turns damp red litmus paper blue.

What is the gas?

- A ammonia
- **B** chlorine
- C hydrogen
- D sulfur dioxide
- **14** An element, X, forms a covalent compound with hydrogen. The formula of the compound is  $XH_2$ .

The diagram shows part of the Periodic Table.

What is X?



**15** Element Y is a transition metal.

Which row in the table describes element Y?

|   | forms coloured compounds | high density | low melting point |
|---|--------------------------|--------------|-------------------|
| Α | yes                      | yes          | no                |
| В | yes                      | no           | no                |
| С | no                       | yes          | no                |
| D | yes                      | yes          | yes               |

**16** Iron is extracted from hematite in the blast furnace.

The following reactions occur in the blast furnace.

1 
$$CO_2 + C \rightarrow 2CO$$

2 
$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

3 
$$CaCO_3 \rightarrow CaO + CO_2$$

4 CaO + SiO<sub>2</sub> 
$$\rightarrow$$
 CaSiO<sub>3</sub>

Which reactions are redox reactions?

**A** 1 and 2

**B** 1 and 3

**C** 2 and 3

**D** 2 and 4

17 Nitrogen oxides and carbon monoxide are produced in a car engine when petrol is burned.

The exhaust gases from the engine are passed through a catalytic converter, and the following reaction takes place.

$$2NO + 2CO \rightarrow N_2 + 2CO_2$$

Which statement is **not** correct?

- **A** Carbon monoxide is oxidised by the nitrogen oxides.
- **B** Carbon monoxide is produced by the complete combustion of petrol.
- **C** Nitrogen oxides are formed when nitrogen burns in oxygen.
- **D** Nitrogen oxides are reduced in the catalytic converter.

18 Which row in the table shows the correct uses of the fractions obtained from petroleum?

|   | petrol                     | paraffin                   | lubricating fraction       | bitumen            |
|---|----------------------------|----------------------------|----------------------------|--------------------|
| A | fuel for diesel<br>engines | fuel for oil stoves        | waxes and polishes         | making roads       |
| В | fuel for cars              | fuel for oil stoves        | waxes and polishes         | making roads       |
| С | fuel for cars              | fuel for diesel<br>engines | waxes and polishes         | making roads       |
| D | fuel for cars              | fuel for oil stoves        | fuel for diesel<br>engines | waxes and polishes |

**19** The word equation shows a reaction of ethene.

What type of reaction occurs and what is X?


|   | type of reaction | Х        |
|---|------------------|----------|
| Α | addition         | hydrogen |
| В | addition         | steam    |
| С | reduction        | hydrogen |
| D | reduction        | steam    |

**20** Ethanol is produced by the fermentation of glucose.

Which statement about fermentation is **not** correct?

- A Carbon dioxide is produced in the reaction.
- **B** The reaction takes place between 50 °C and 60 °C.
- **C** The reaction takes place in the absence of oxygen.
- **D** Yeast provides the catalyst for the reaction.

21 A pendulum swings between point X and point Y.



A student wishes to measure the period of the pendulum.


Which method produces the most accurate value for the period?

- **A** measure the time for the pendulum to move from X to Y once
- **B** measure the time for the pendulum to move from X to Y ten times and divide this time by ten
- **C** measure the time for the pendulum to move from X to Y and back to X once
- **D** measure the time for the pendulum to move from X to Y and back to X ten times and divide this time by ten
- 22 An astronaut in an orbiting spacecraft experiences a force due to gravity. This force is less than when she is on the Earth's surface.

Compared with being on the Earth's surface, how do her mass and her weight change when she is in orbit?

|   | mass in orbit | weight in orbit |
|---|---------------|-----------------|
| Α | decreases     | decreases       |
| В | decreases     | unchanged       |
| С | unchanged     | decreases       |
| D | unchanged     | unchanged       |

23 The diagram shows an experiment to find the density of a liquid.



What is the density of the liquid?

- $\mathbf{A}$  0.5 g/cm<sup>3</sup>
- **B**  $2.0 \,\mathrm{g/cm^3}$
- **C** 8.0/cm<sup>3</sup>
- **D**  $10.0 \,\mathrm{g/cm^3}$

24 An experiment is carried out to measure the extension of a rubber band for different loads.

The results are shown below.

| load/N       | 0    | 1.0  | 2.0 | 3.0  |
|--------------|------|------|-----|------|
| length/cm    | 15.2 | 16.2 |     | 18.6 |
| extension/cm | 0    | 1.0  | 2.1 | 3.4  |

Which figure is missing from the table?


**A** 17.2

**B** 17.3

**C** 17.4

**D** 18.3

25 A pole-vaulter runs up to a jump with his pole straight. He puts one end of the pole down on the ground and the pole bends as he jumps.




Which form of energy is stored in the pole because it is bent?

- A chemical
- **B** gravitational
- **C** motion
- **D** strain
- 26 Two different temperatures are measured. One temperature is constant, and very high (approximately 600 °C). The second temperature varies rapidly, but is approximately 60 °C.

Which row in the table shows a thermometer suitable for measuring each temperature?

|   | constant and very<br>high temperature<br>(approximately 600°C) | rapidly varying temperature (approximately 60 °C) |
|---|--|---|
| Α | liquid-in-glass  | liquid-in-glass                                   |
| В | liquid-in-glass  | thermocouple                                      |
| С | thermocouple   | liquid-in-glass                                   |
| D | thermocouple   | thermocouple                                      |

27 A girl sits by a camp fire. She holds a piece of wood with one end in the fire.




Heat from the fire reaches her hand.


How does heat from the fire reach her hand?


- A conduction, convection and radiation
- **B** conduction only
- **C** convection only
- **D** radiation only


28 The diagrams show water waves that move more slowly after passing into shallow water.

Which diagram shows what happens to the waves?










**29** The diagram shows a ray of light passing from air into a glass block. The values of two angles are shown.




What is the refractive index *n* of the glass?

Use 
$$n = \frac{\sin i}{\sin r}$$

- **A** 0.58
- **B** 0.62
- **C** 1.61
- **D** 1.73


30 The diagram shows the paths of two rays of light from the top of an object. The rays pass through a converging lens. The principal focuses of the lens are labelled.



At which point, P or Q, is an image formed, and is the image real or virtual?

|   | position of image | real or virtual image? |
|---|-------------------|------------------------|
| Α | Р                 | real                   |
| В | Р                 | virtual                |
| С | Q                 | real                   |
| D | Q                 | virtual                |

31 The diagram shows apparatus that is used to make a permanent magnet.



Which metal and which power supply is used to make a permanent magnet?


|   | metal | power supply |
|---|-------|--------------|
| Α | iron  | a.c.         |
| В | iron  | d.c.         |
| С | steel | a.c.         |
| D | steel | d.c.         |


32 An electrical quantity is defined as the energy supplied by a source in driving a unit charge around a complete circuit.


What is this electrical quantity?

- A current
- B e.m.f.
- C p.d.
- **D** power
- 33 Two diodes are connected in each of four circuits.

In which circuit will both lamps light?








В


34 In the circuit shown, the current in the resistor is 4.0A and the voltmeter reads 6.0 V.



How much energy is transferred by the resistor in 2.0 minutes?

- **A** 0.20 J
- **B** 12J
- **C** 48 J
- **D** 2880 J


- 35 Which device uses slip rings?
  - A a d.c. motor
  - B an a.c. generator
  - C an oscilloscope
  - D a transformer
- 36 A transformer has an input voltage of 240 V and an output voltage of 12 V. The transformer is 100% efficient. An ammeter connected to the secondary coil shows a reading of 5.0 A.



What is the current in the primary coil?

- **A** 0.25A
- **B** 5.0A
- **C** 60A
- **D** 100A


## **37** The diagram shows a cathode-ray tube.



In which direction is the conventional current, and in which direction do the electrons move between the electrodes?

|   | direction of conventional current | direction of electron movement |
|---|-----------------------------------|--------------------------------|
| Α | from anode to cathode             | from anode to cathode          |
| В | from anode to cathode             | from cathode to anode          |
| С | from cathode to anode             | from anode to cathode          |
| D | from cathode to anode             | from cathode to anode          |

38 The diagram shows the display on an oscilloscope screen.




The time-base control of the oscilloscope is altered so that each division on the screen represents a smaller amount of time.


The signal into the oscilloscope does not change.

Which trace is produced?


Α




В



С




D



© UCLES 2015

**39** A beam of  $\gamma$ -rays passes between two charged metal plates as shown in the diagram.



How do the  $\gamma$ -rays pass between the two charged plates?

- **A** The rays are deflected in a direction perpendicular to the page.
- **B** The rays are deflected towards the negative plate.
- **C** The rays are deflected towards the positive plate.
- **D** The rays continue in the same direction.
- **40** A powder contains 400 mg of a radioactive isotope.

The half-life of the isotope is 5 days.

What mass of this isotope remains after 10 days?

- **A** 0 mg
- **B** 40 mg
- **C** 100 mg
- **D** 200 mg

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

|                        |                 |               |                |                     |                  |                |                    | Gr             | oup             |                   |             |                  |                         |                  |                    |                  |    |
|------------------------|-----------------|---------------|----------------|---------------------|------------------|----------------|--------------------|----------------|-----------------|-------------------|-------------|------------------|-------------------------|------------------|--------------------|------------------|----|
| ı                      | II              |               |                |                     |                  |                |                    |                |                 |                   |             | Ш                | IV                      | V                | VI                 | VII              | \  |
|                        |                 |               |                |                     |                  |                | 1<br>H<br>hydrogen |                |                 |                   |             |                  |                         |                  |                    |                  | h  |
|                        |                 |               |                | Key                 |                  |                | 1                  |                |                 |                   |             |                  |                         |                  |                    |                  |    |
| 3                      | 4               |               | at             | omic numb           | er               |                |                    |                |                 |                   |             | 5                | 6                       | 7                | 8                  | 9                |    |
| Li                     | Be              |               | ato            | mic sym             | ıbol             |                |                    |                |                 |                   |             | В                | С                       | N                | 0                  | F                |    |
| lithium                | beryllium       |               |                | name                |                  |                |                    |                |                 |                   |             | boron            | carbon                  | nitrogen         | oxygen             | fluorine         |    |
| 7                      | 9               |               | relati         | ve atomic           | mass             |                |                    |                |                 |                   |             | 11               | 12                      | 14               | 16                 | 19               |    |
| 11                     | 12              |               |                |                     |                  |                |                    |                |                 |                   |             | 13               | 14                      | 15               | 16                 | 17               |    |
| Na                     | Mg              |               |                |                     |                  |                |                    |                |                 |                   |             | Αl               | Si                      | Р                | S                  | Cl               |    |
| sodium<br>23           | magnesium<br>24 |               |                |                     |                  |                |                    |                |                 |                   |             | aluminium<br>27  | silicon<br>28           | phosphorus<br>31 | sulfur<br>32       | chlorine<br>35.5 |    |
| 19                     | 20              | 21            | 22             | 23                  | 24               | 25             | 26                 | 27             | 28              | 29                | 30          | 31               | 32                      | 33               | 34                 | 35.3             | +- |
| K                      | Ca              | Sc            | Ti             | V                   | Cr               | Mn             | Fe                 | Co             | Ni              | Cu                | Zn          | Ga               | Ge                      | As               | Se                 | Br               |    |
| ootassium              | calcium         | scandium      | titanium       | vanadium            | chromium         | manganese      | iron               | cobalt         | nickel          | copper            | zinc        | gallium          | germanium               | arsenic          | selenium           | bromine          |    |
| 39                     | 40              | 45            | 48             | 51                  | 52               | 55             | 56                 | 59             | 59              | 64                | 65          | 70               | 73                      | 75               | 79                 | 80               |    |
| 37                     | 38              | 39            | 40             | 41                  | 42               | 43             | 44                 | 45             | 46              | 47                | 48          | 49               | 50                      | 51               | 52                 | 53               |    |
| Rb                     | Sr              | Υ             | Zr             | Nb                  | Мо               | Tc             | Ru                 | Rh             | Pd              | Ag                | Cd          | In               | Sn                      | Sb               | Te                 | I                |    |
| rubidium               | strontium       | yttrium       | zirconium      | niobium             | molybdenum       | technetium     | ruthenium          | rhodium        | palladium       | silver            | cadmium     | indium           | tin                     | antimony         | tellurium          | iodine           |    |
| 85                     | 88              | 89            | 91             | 93                  | 96               | -              | 101                | 103            | 106             | 108               | 112         | 115              | 119                     | 122              | 128                | 127              |    |
| 55                     | 56              | 57–71         | 72             | 73                  | 74               | 75             | 76                 | 77             | 78              | 79                | 80          | 81               | 82                      | 83               | 84                 | 85               |    |
| Cs                     | Ва              | lanthanoids   | Hf             | Ta                  | W                | Re             | Os                 | Ir             | Pt              | Au                | Hg          | T <i>1</i>       | Pb                      | Bi               | Po                 | At               |    |
| caesium                | barium          |               | hafnium<br>170 | tantalum            | tungsten         | rhenium        | osmium             | iridium        | platinum<br>195 | gold<br>197       | mercury     | thallium         | lead<br>207             | bismuth<br>209   | polonium           | astatine         |    |
| 133<br>87              | 137<br>88       | 89–103        | 178<br>104     | 181<br>105          | 184<br>106       | 186<br>107     | 190<br>108         | 192<br>109     | 110             | 111               | 201<br>112  | 204              | 114                     | 209              | -<br>116           | _                | +  |
| Fr                     | Ra              | actinoids     | Rf             | Db                  |                  | Bh             | Hs                 | Mt             | Ds              |                   | Cn          |                  | F <i>l</i>              |                  | Lv                 |                  |    |
| <b>Γ</b> I<br>francium | radium          |               | rutherfordium  | dubnium             | Sg<br>seaborgium | bohrium        | hassium            | meitnerium     | _               | Rg<br>roentgenium |             |                  | Γ <i>l</i><br>flerovium |                  | L V<br>livermorium |                  |    |
| _                      | -               |               | _              | _                   | –                | _              | _                  | _              | _               | –                 |             |                  |                         |                  | _                  |                  |    |
|                        |                 | •             |                |                     |                  | •              |                    |                |                 | •                 | •           |                  |                         |                  |                    |                  |    |
|                        |                 | 57            | 58             | 59                  | 60               | 61             | 62                 | 63             | 64              | 65                | 66          | 67               | 68                      | 69               | 70                 | 71               | 1  |
| anthano                | ids             | La            | Ce             | Pr                  | Nd               | Pm             | Sm                 | Eu             | Gd              | Tb                | Dy          | Но               | Er                      | Tm               | Yb                 | Lu               |    |
|                        |                 | lanthanum     | cerium         | praseodymium        | neodymium        | promethium     | samarium           | europium       | gadolinium      | terbium           | dysprosium  | holmium          | erbium                  | thulium          | ytterbium          | lutetium         |    |
|                        |                 | 139           | 140            | 141                 | 144              | -              | 150                | 152            | 157             | 159               | 163         | 165              | 167                     | 169              | 173                | 175              | -  |
|                        |                 | 89            | 90             | 91                  | 92               | 93             | 94                 | 95             | 96              | 97                | 98          | 99               | 100                     | 101              | 102                | 103              |    |
| ctinoids               |                 | Ac            | Th             | Pa                  | U                | Np             | Pu                 | Am             | Cm              | Bk                | Cf          | Es               | Fm                      | Md               | No                 | Lr               |    |
|                        |                 | actinium<br>_ | thorium<br>232 | protactinium<br>231 | uranium<br>238   | neptunium<br>— | plutonium<br>—     | americium<br>— | curium<br>—     | berkelium<br>_    | californium | einsteinium<br>— | fermium                 | mendelevium<br>_ | nobelium           | lawrencium       |    |
|                        |                 |               | 232            | 231                 | 230              |                | _                  |                | _               | _                 |             | _                | _                       |                  | _                  | _                | J  |

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.