



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	
COMBINED SCIENCE		0653/03
Paper 3 Theory (Core)	For Ex	amination from 2019
SPECIMEN PAPER		

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 hour 15 minutes

1 (a) Fig. 1.1 is a diagram of the internal structure of the heart.




Fig. 1.1

(i) Use the following words or phrases to name structures **B** and **C**.

aorta coronary artery		one-way valve	
pulmonary artery	pulmonary vein	right atrium	
right ventricle	septum	vena cava	
В			
C			
			[2]

- (ii) On Fig. 1.1, draw two arrows to show
 - 1. the direction of blood flow through A,
 - 2. the direction of blood flow through **D**.

[2]

(b) (i) Table 1.1 shows diagrams of some blood cells.

Complete the table.

Table 1.1

diagram	name of cells	function of cells
x S D		

		[4]
(ii)	Describe the function of structure X in the cell shown in Table 1.1.	
		. [1]

[Total: 9]

- 2 (a) An atom of carbon has a proton (atomic) number of 6 and a nucleon (mass) number of 12.
 - (i) Complete Table 2.1 to show the structure of this carbon atom.

Table 2.1

	in nucleus	outside nucleus
number of protons	6	0
number of neutrons		
number of electrons		

		[2]
(ii)	The protons in a carbon atom have a positive charge.	
	Explain why a carbon atom has no overall charge.	
		[2]
Met	hane is a hydrocarbon and the main constituent of natural gas.	
(i)	Natural gas is a fossil fuel.	
	Name two other fossil fuels.	
	and	[1]
(ii)	Write a word equation for the complete combustion of methane.	
	+ + +	

[2]

© UCLES 2016 0653/03/SP/19

(b)

(c) Fig. 2.1 shows the structure of a molecule of methane.




Fig. 2.1

(i)	State the formula of methane.
	[1]
(ii)	Name the type of chemical bond in a methane molecule.
	[1]
(iii)	State the number of electrons in the chemical bond shown in Fig. 2.1.
	[1]
	[Total: 10]

3 Fig. 3.1 shows a special bicycle used to break the world speed record for a human-powered bicycle.




Fig. 3.1

On one run along a measured distance of 200 m, the bicycle's speed is 40 m/s.

(a) Calculate the time taken by the bicycle to travel this distance.

State the formula you use and show your working.


formula

working

time =s	[2]
---------	-----

[2]


(b) The rider travels at a constant speed and then uses the brakes to gradually stop the bicycle.On the axes below, sketch the shape of the speed-time graph for this motion.



(c) Suggest why the bicycle has the streamlined shape as shown in Fig. 3.1.

.....[1]

(d) Complete the sequence of energy transfers that occurs during the run.



[Total: 7]

4 (a) Fig. 4.1 shows what happens over a few days when a plant is placed near a window where bright light is coming from one side.




Fig. 4.1

(i)	Name the response shown by the plant.	[4]
(ii)	Explain how the response shown in Fig. 4.1 is an advantage to the plant.	
(iii)	Name two characteristics of living things shown by the plant in Fig. 4.1.	. [∠]
	Explain your answers. 1. characteristic	
	explanation	
	2. characteristic	
	explanation	
		 [4]

(b) A student does an experiment to find out more about plant responses. He uses simple shoots and light coming from one side.

The results after a few days are shown in Fig. 4.2.




Fig. 4.2

(i)	Describe the results for each shoot after a few days shown in Fig. 4.2.
	x
	Υ
	Z
	[2]
(ii)	Suggest a possible conclusion about the control of plant responses in the shoots.
	[1]
	[Total 10]

5 (a) Lead metal can be extracted from lead oxide by heating it with carbon.

The word equation for this reaction is shown.

lead oxide + carbon \rightarrow lead + carbon dioxide	
Explain how the equation shows that both oxidation and reduction occur in this reaction.	
[2	2]
•	•

(b) Another method of extracting lead is by electrolysis.

Before electrolysis, solid lead bromide is heated to form molten lead bromide.

Explain why the lead bromide needs to be molten.

		[5.

(c) Fig. 5.1 shows the apparatus used for the electrolysis of molten lead(II) bromide.




Fig. 5.1

(i) Use the following terms to complete the labels on the diagram in Fig. 5.1.

anode cathode electrolyte [2]

(ii)	Name and describe the appearance of the products that form at
	the positive electrode,
	the negative electrode.
	[3]
	[Total: 9]

6 A man looks at his reflection in a mirror. The tip of his beard is labelled **A**.

This is shown from the side in Fig. 6.1.




Fig. 6.1

- (a) (i) On Fig. 6.1, accurately mark with the letter **X** the position of the image of point **A** in the mirror. [2]
 - (ii) On Fig. 6.1, draw a ray from point **A** that reflects from the mirror and goes into the man's eye. Use a ruler to draw this ray.

Use arrows to show the direction of the ray. [2]

(iii) On Fig. 6.1, mark the angle of incidence at the mirror using the letter *i*. [1]

(b) Fig. 6.2 represents the regions of the electromagnetic spectrum.




Fig. 6.2

(i) Two of the regions have not been named on Fig. 6.2.

In the two boxes, **A** and **B**, below the spectrum, write the names of these regions. [2]

- (ii) On Fig. 6.2, write the letter **S** at the short wavelength end of the electromagnetic spectrum. [1]
- (iii) State one use of

infra-red	
X-rays	
	[2]

[Total: 10]

7 Fig. 7.1 represents the carbon cycle.





Fig.7.1

- (a) Use Fig. 7.1 to answer the following questions.
 - (i) Name the process labelled **U**.

		[1]	
• • • • • • • • • • • • • • • • • • • •	Name a manual of considers that are no new toll for the manual labelled MI		

- (ii) Name a group of organisms that are responsible for the process labelled **W**.
- (b) (i) Letters **T** and **V** in Fig. 7.1 both show the process of aerobic respiration.

State the word equation for aerobic respiration.



(ii) In Fig. 7.1 process **R** is combustion.

Describe two ways in which the process of combustion is different from aerobic respiration.

1.

[2]

(c)	One of the undesirable effects of deforestation is an increase in the carbon dioxide concentration in the air.
	List two other undesirable effects of deforestation.
	1
	2
	[2]
	[Total: 8]

8 When metal carbonates are heated, carbon dioxide gas is formed.

A student compares the rates of reaction when three different metal carbonates are heated.

She uses the apparatus shown in Fig. 8.1 to measure the volume of carbon dioxide formed.




Fig. 8.1

- (a) State **one** variable that must be kept constant if the rates of the three reactions are to be compared in a fair way.
 - [1]
- **(b)** The graph in Fig. 8.2 shows how the volume of carbon dioxide changes with time when the three metal carbonates are heated.




Fig. 8.2


	(i)	Name the carbonate which forms carbon dioxide at the highest rate.
		[1]
	(ii)	Use the graph in Fig. 8.2 to find the volume of carbon dioxide formed by heating strontium carbonate for four minutes.
		cm ³ [1]
	(iii)	Calcium, strontium and barium are all in Group II of the Periodic Table.
		Use the graph in Fig. 8.2 to describe how the rates of reaction of the metal carbonates change down Group II.
		[1]
(c)		scribe how hydrochloric acid and limewater are used to show that carbonate ions are sent in calcium carbonate.
		[3]

[Total: 7] [Turn over **9** Fig. 9.1 shows the circuit symbols for an electric bell and a push-switch.



Fig. 9.1

(a) (i) On Fig. 9.2 complete the diagram to show a circuit for a door-bell. The door-bell is powered by a battery with four cells and is operated using a push-switch.



[2]

Fig. 9.2 [2]

(ii) On Fig. 9.2, draw a voltmeter to measure the potential difference across the battery. [1]

((b)) The	ringing	bell	emits	a sound	of '	frequenc	v 400 Hz.

(i)

State the meaning of the	e term frequency.	
		[1]

(ii) The house owner makes the sound of the bell louder by adding another cell to the battery. The pitch of the sound from the bell remains unchanged.

effect on the amplitude

State the effect this change has on the amplitude and frequency of the sound emitted.

effect on the frequency

(c)	(i)	The potential difference across the battery is 6.0 V. When the switch is closed, there is a current of 2.0 A in the bell.
		Calculate the resistance of the bell.
		Show your working and give the unit of your answer.
		resistance = unit [3]
	(ii)	The house owner adds an identical bell in parallel with the first bell. When the switch is pushed, both bells ring.
		State how this affects the total current in the circuit.
		[1]
		[Total: 10]

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

								Gr	oup								
I	II											III	IV	V	VI	VII	
		Key 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1															
3	4		1	atomic number				1				5	6	7	8	9	
Li	Ве		ato	omic sym	bol							В	C	, N	0	F	
lithium 7	beryllium 9		rel	name ative atomic ma	ass							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	
11	12											13	14	15	16	17	
Na sodium 23	Mg magnesium 24											A1 aluminium 27	Si silicon 28	P phosphorus 31	S sulfur 32	C1 chlorine 35.5	
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
K potassium	Ca	Sc scandium	Ti titanium	V	Cr	Mn manganese	Fe	Co	Ni nickel	Cu	Zn	Ga gallium	Ge germanium	As arsenic	Se selenium	Br bromine	
39	40	45	48	51	52	55	56	59	59	64	65	70	73	75	79	80	
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52 -	53 •	
Rb rubidium 85	Sr strontium 88	Y yttrium 89	Zr zirconium 91	Nb niobium 93	Mo molybdenum 96	Tc technetium	Ru ruthenium 101	Rh rhodium 103	Pd palladium 106	Ag silver 108	Cd cadmium 112	In indium 115	Sn tin 119	Sb antimony 122	Te tellurium 128	I iodine 127	
55	56	57–71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	
Cs caesium	Ba	lanthanoids	Hf hafnium	Ta tantalum	W tungsten	Re rhenium	Os osmium	Ir iridium	Pt platinum	Au gold	Hg mercury	T1 thallium	Pb lead	Bi bismuth	Po	At astatine	
133	137		178	181	184	186	190	192	195	197	201	204	207	209	– poloriium	astaurie –	
87	88	89–103	104	105	106	107	108	109	110	111	112		114		116		
Fr francium	Ra radium -	actinoids	Rf rutherfordium	Db dubnium	Sg seaborgium -	Bh bohrium	Hs hassium	Mt meitnerium	Ds darmstadtium	Rg roentgenium	Cn copernicium		F l flerovium		LV livermorium -		
		57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	
lanthan	oids	La	Ce	Pr praseodymium	Nd neodymium	Pm promethium	Sm samarium	Eu europium	Gd gadolinium	Tb terbium	Dy dysprosium	Ho holmium	Er erbium	Tm thulium	Yb ytterbium	Lu	
		139	140	141	144	prometnium -	150	152	157	159	163	165	167	169	173	175	
		89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	
actinoid	S	Ac actinium	Th thorium	Pa protactinium	U	Np	Pu	Am	Cm	Bk	Cf californium	Es	Fm	Md mendelevium	No	Lr	
		actinium -	thorium 232	protactinium 231	uranium 238	neptunium —	plutonium —	americium -	curium —	berkelium —	- californium	einsteinium –	rermium —	- mendelevium	nobelium -	lawrencium —	

	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
lanthanoids	La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium —	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
actinoids	Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
	-	232	231	238	_	_	-	_	_	_	_	-	-	_	_