



### Cambridge IGCSE<sup>™</sup>

CANDIDATE NAME						
CENTRE NUMBER				CANDIDATE NUMBER		

#### **CO-ORDINATED SCIENCES**

0654/42

Paper 4 Theory (Extended)

October/November 2024

2 hours

You must answer on the question paper.

No additional materials are needed.

#### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

#### **INFORMATION**

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.


This document has 24 pages. Any blank pages are indicated.

Identify from Fig. 1.1:

1 (a) The circulatory system in horses is similar to in humans.

Fig. 1.1 is a simplified diagram of the circulatory system in horses.

The arrows represent the direction of blood flow.



2

Fig. 1.1

	blood vessel X	
	organ Y	
	blood vessel <b>Z</b>	[3]
(ii)	Describe evidence from Fig. 1.1 that horses have a double circulatory system.	

0.	300000000000	

\* 0000800000003 \*

(b) The circulatory system transports blood around the body.

(i)	State <b>two</b> blood groups in humans.	
	and	[2]
(ii)	White blood cells are one component of blood.	

Tick  $(\checkmark)$  all the boxes that show the correct functions of white blood cells.

3

antibody production	
blood clotting	
phagocytosis	
transport of hormones	
transport of oxygen	

[2]

(c) Table 1.1 shows the average thickness of wall for an artery and a capillary.

Table 1.1

blood vessel	thickness of wall/mm
artery	1.0000
capillary	0.0005

(i) Calculate how many times thicker an artery wall is than a capillary wall.

	[1]
(ii)	Explain the reasons for this difference in thickness shown in Table 1.1.
	[2]

[Total: 12]

[Turn over

2 Carbon dioxide gas is made in many chemical reactions.

(a)	Tick (✓) the <b>two</b> chemical reactions that make carbon dioxide.
	reaction between an acid and a metal
	reaction between an alkali metal and water
	respiration
	thermal decomposition of calcium carbonate
	[2]
(b)	Scientists are concerned about increased concentrations of carbon dioxide in the atmosphere.
	Explain why.
	[2]
(c)	Oxides, such as carbon dioxide, can be classified as acidic, basic, or amphoteric.
	Classify carbon dioxide by putting a round the correct type of oxide.
	acidic
	amphoteric
	basic
	Explain your answer.
	[0]



5

(d) Carbon dioxide,  ${\rm CO_2}$ , is a simple molecule.

(i)	State the <b>type</b> of chemical bonding in a molecule of carbon dioxide.	
		[1]
(ii)	Draw a dot-and-cross diagram to show the bonding in carbon dioxide	

You only need to draw the outer-shell electrons.

[2]

[Total: 9]



Fig. 3.1 shows a wind turbine used to generate electricity.




Fig. 3.1

- (a) State one advantage of generating electricity using wind turbines.
- **(b)** The wind turbine contains an alternating current (a.c.) generator.

On Fig. 3.2, sketch a graph of output voltage against time for the a.c. generator when the wind turbine is turning at a constant speed.




Fig. 3.2

[2]

(d)

(e)



(c) A step-up transformer is used to increase the voltage from the generator.

7

Describe the construction of a basic step-up transformer.

You may include a labelled diagram to aid your description.

	[3]
	wind exerts a pressure of 7200 Pa on each blade of the wind turbine.
Eac	ch blade has a surface area of 90 m <sup>2</sup> .
Cal	culate the force exerted by the wind on each turbine blade.
	force = N [2]
The	wind turbines produce a low-pitch sound when they turn.
(i)	State the minimum frequency of sound which can be heard by a healthy human ear.
	frequency = Hz [1]
(ii)	Sound waves are longitudinal waves.
	Describe, in terms of oscillations and energy transfer, what is meant by a longitudinal wave.



4 (a) State the balanced symbol equation for photosynthesis.

.....[2

**(b)** Photosynthesis is an enzyme-controlled reaction.

Fig. 4.1 is a graph showing the effect of temperature on the rate of photosynthesis.




Fig. 4.1

Complete the sentences to describe **and** explain the graph in Fig. 4.1.

As the temperature increases, the rate of photosynthesis increases until it reaches the optimum temperature of ......°C.

At 45 °C the enzymes are .....

(c) Complete the sentence to describe the transfer of energy during photosynthesis.

During photosynthesis chlorophyll transfers ...... energy into energy.

[2]



(d) Carbohydrates are produced during photosynthesis.

	State the name of the carbohydrate in plants that is used for:	
	storage	
	transport.	 [2]
		[4]
(e)	Plants cells are adapted for their function.	
	State the name of the cells:	
	in the leaf that are adapted for efficient photosynthesis	
	that are adapted for absorption of water from the soil.	

9


[Total: 13]

[2]

[2]



**5** Fig. 5.1 shows the structures of four carbon compounds.






Fig. 5.1

(a) (i) State which compound is ethene.

Choose from A, B, C or D.

(ii) State which compound is an unsaturated hydrocarbon.

Choose from A, B, C or D.

(iii) Compound B is made from compound D.

State what type of reaction takes place.


(iv) Describe how compound C is made from compound D.

(v) Compound  ${\bf A}$  is a member of a homologous series.

State two similarities between the members of a homologous series.



(b) Fig. 5.2 shows the structure of a carbon atom.



11

Fig. 5.2

(i) Carbon is in Group IV of the Periodic Table.

Describe how to deduce from Fig. 5.2 that carbon is in Group IV.

(ii) Carbon exists as a mixture of isotopes.

Complete Fig. 5.3 to show a different isotope of carbon from that shown in Fig. 5.2.





Fig. 5.3

[3]

[Total: 11]

Angler fish live in the sea at depths of up to 2000 m.

Fig. 6.1 shows an angler fish.



12

Fig. 6.1

- (a) The angler fish has a light-emitting lure to attract smaller fish.
  - (i) The frequency of light emitted by the lure is  $5.0 \times 10^{14}$  Hz and the wavelength of the light is  $4.5 \times 10^{-7}$  m.

Calculate the speed of light in water.

(ii) Use your answer to (a)(i) to calculate the refractive index of water.

- 13
- (b) An angler fish of mass 28 kg moves at 0.11 m/s.
  - (i) Calculate the kinetic energy of the angler fish.



(ii) Fig. 6.2 shows the forces acting on the angler fish when it moves at a constant speed of 0.11 m/s.




Fig. 6.2

Use Fig. 6.2 to complete the sentences to explain why the angler fish is moving at a constant speed.

Force **A** is called the ......

Force A has the same magnitude as the ....., and

force **B** has the same magnitude as the ......

There is no resultant force acting on the angler fish. Therefore, there

is no ......, so the angler fish moves at constant speed.

[Total: 10]

[3]

© UCLES 2024

7 (a) Fig. 7.1 summarises mitosis and meiosis in an organism.




Fig. 7.1

(1)		umber of chromosomes in each parental cell is 24.	rne
	Identify t	the actual number of chromosomes in:	
	cell A		
	cell <b>B</b>		[2]
			[-]

- (ii) Identify the name of the type of cells represented by cell **B** in Fig. 7.1.
- (iii) Describe the process occurring at stage 1 in Fig. 7.1.
- (iv) State the name of the type of nucleus in the parental cell in Fig. 7.1.
  - .....[1]
- (v) Describe the arrangement of chromosomes in the parental cell in Fig. 7.1.
- (b) State two uses of mitosis.

[Total: 8]

8 A student investigates the reaction between calcium carbonate and dilute hydrochloric acid.

15

The student does the experiment using three different sets of conditions, A, B and C.

All other variables are kept the same.

Fig. 8.1 shows the three sets of conditions.




Fig. 8.1

(a) State which set of conditions, A, B or C, will give the fastest rate of reaction.

.....[1]

**(b)** The equation for the reaction in the student's experiment is shown.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + H_2O + CO_2$$

Calculate the mass of 1.2 dm<sup>3</sup> of carbon dioxide gas measured at room temperature and pressure (r.t.p.).

The volume of one mole of any gas is 24 dm<sup>3</sup> at r.t.p.

Show your working.

[A<sub>r</sub>: C, 12; O, 16]

mass of carbon dioxide gas = .....g [3]

The reaction between calcium carbonate and dilute hydrochloric acid is exothermic.

16

State what is meant by an exothermic reaction.

(d) A food company is making new self-heating cans of soup.



They investigate three different reactions.

Fig. 8.2 shows the reaction profiles for the three reactions, X, Y and Z.




Fig. 8.2

The reaction profiles show:

- the energy change in the reaction
- the activation energy of the reaction.
- State what is meant by activation energy.

[0]



(ii) Suggest which reaction, **X**, **Y** or **Z**, would be most suitable to use in the self-heating cans.

17

Explain your answer.	
reaction	
explanation	
	[3]
	[Total: 10]

- A student investigates the use of cotton wool to insulate a beaker of hot water at 90 °C.
  - (a) The student uses a digital thermometer to measure the temperature of the water in the beaker as it cools.

18

The student repeats the experiment using different thicknesses of cotton wool.

Fig. 9.1 shows a graph of the results.




Fig. 9.1

(i)	redict the temperature after 5.0 minutes of a beaker of water which is insulated with
	0 cm of insulation.

Use the results shown in Fig. 9.1 to explain your answer.

emperature°C
xplanation
[2]

Complete the sentences about the digital thermometer.

The digital thermometer contains two wires made of different metals.

The wires are joined together at each end to form two junctions.

This arrangement is known as a ...... [1]

**(b)** The student uses an electric kettle to heat the water for the investigation.

The electric kettle has a power rating of 1800W when a potential difference of 240V is applied.

19

Calculate the resistance of the kettle.

resistance = .....  $\Omega$  [4]

(c) Plastic is an electrical insulator.

Fig. 9.2 shows two lightweight, plastic sheets suspended by insulating threads.




Fig. 9.2

Each plastic sheet is positively charged.


(i)	Explain what is observed when the two plastic sheets are moved close to each other.
	[2]
(ii)	Describe how a plastic sheet can become positively charged.
	[3]

[Total: 12]

[Turn over



(a) Fig. 10.1 shows a diagram of human skin.



20

Fig. 10.1

Identify the parts labelled A, B and C in Fig. 10.1.

	A
	В
	C
	[3]
b)	Describe the role of the blood vessels in maintaining a constant internal body temperature when external temperature increases.
	[3]
c)	State the name of the type of feedback used to maintain a constant internal body temperature.
	[1]

[Total: 7]





(a) Complete the sentence about electrolysis.

(a)	COI	riplete the sentence about electrolysis.	
	Elec	ctrolysis is the breakdown of an compound when	
		or in aqueous solution by the passage of electricity.	[2]
(b)	The	products of the electrolysis of any binary salt can be predicted.	.—,
	The	e binary salt will always break down into its elements.	
	Con	mplete the sentence about the electrolysis of a binary salt.	
	The	is formed at the cathode and the	is
	forn	ned at the anode.	[2]
(c)	(i)	Chlorine gas is made at the anode during the electrolysis of concentrated aqueous sodium chloride.	us
		$2Cl^- \rightarrow Cl_2 + 2e^-$	
		This is an example of oxidation.	
		Explain why.	
			[1]
	(ii)	Construct the ionic half-equation for the formation of the product at the cathode.	
			[2]
(d)	Sod	lium chloride has a melting point of 801 °C.	
	Chlo	orine has a melting point of –102 °C.	
	Ехр	plain the difference in the melting points.	
	Use	e ideas about:	
	•	the bonding in sodium chloride and in chlorine attractive forces.	

21

[Total: 10]

.....[3]



- **12** Polonium is a highly radioactive metal with no stable isotopes.
  - (a) Polonium-210 ( $^{210}_{84}$ Po) decays to form lead-206 ( $^{206}_{82}$ Pb).

The decay of polonium-210 is a one-step process.

(i)	State the type of ionising radiation emitted when polonium-210 decays to lead-206.	
		[1]

(ii) The half-life of polonium-210 is 140 days.

The activity of a sample of polonium-210 is measured as 680 counts per minute.

Calculate the time taken, in days, for the activity to decrease to 85 counts per minute.

time =		days	[2
--------	--	------	----

- **(b)** Polonium is a solid at room temperature. The melting point of polonium is 254 °C.
  - (i) Explain, in terms of the motion and arrangement of atoms, why a fixed mass of solid polonium will occupy a smaller volume than the same mass of liquid polonium.


.....[3]

(ii) The density of solid polonium is  $9.4\,\mathrm{g/cm^3}$ .

Calculate the volume occupied by 235 g of solid polonium.

[Total: 8]

\* 0000800000023 \*

23

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.



## \* 0000800000024 \*

# The Periodic Table of Elements

	=	2	e L	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	2 25	Xe	xenon 131	98	R	radon	118	Og	oganesson	ı
	₹				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine	53	Ι	iodine 127	85	¥	astatine -	117	<u>S</u>	tennessine	I
	>				8	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	molodium –	116		livermorium	ı
	>				7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium	I
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	<u>1</u> 4	flerovium	ı
	≡				2	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium	49	In	indium 115	81	11	thallium 204	113	Ν	nihonium	ı
											30	Zn	zinc	48	В	cadmium 112	80	Нg	mercury 201	112	C	copemicium	ı
											29	Cn	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium	ı
Group											28	Z	nickel	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium	I
Gro											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium	ı
		- ]		hydrogen 1							26	Fe	iron	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium	ı
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	pohrium	ı
						pol	iss				24	ပ်	chromium 52	42	Мо	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium	ı
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	QN	niobium 93	73	Та	tantalum 181	105	Op	dubnium	I
						ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	弘	rutherfordium	ı
											21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids		
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium	38	Š	strontium 88	26	Ba	barium 137	88	Ra	radium	ı
	_				3	:=	lithium 7	1	Na	sodium 23	19	×	potassium	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ψ̈́	francium	ı

24

71	Γn	lutetium 175	103	۲	lawrencium	I
70	Υp	ytterbium 173	102	8	nobelium	I
69	Tm	thulium 169	101	Md	mendelevium	I
89	щ	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ರ	califomium	ı
65	Д	terbium 159	97	Ř	berkelium	I
64	9 G	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	I
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	δ	neptunium	ı
09	PN	neodymium 144	92	$\supset$	uranium	238
69	Ā	praseodymium 141	91	Ра	protactinium	231
28	Ö	cerium 140	06	드	thorium	232
22	Гa	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).